Author Index[1]

ADAMS, DARIUS M., 30:559 (rev.)
ADAMS, KENNETH B., 30:51
AKACHUKU, A. E., 30:275
ALLEN, G. M., 30:274 (rev.)
AMATEIS, RALPH L., 30:991
AMIDON, ELLIOT L., 30:166
ARTMAN, J. D., Monogr. 25
ASKEW, J. L., 30:705
BAILEY, R. L., 30:411
BALLARD, RUSSELL, 30:264
BARBOUR, J. R., 30:404
BARK, TAEHO, 30:194
BECKJORD, PETER R., 30:124
BECKWITH, ROY C., 30:743; 30:883
BELL, WAYNE, 30:897
BENGSTON, DAVID N., 30:685
BENTLEY, WILLIAM R., 30:192 (rev.)
BERCK, PETER, 30:173
BETTERS, DAVID R., 30:793
BIBLE, THOMAS, 30:173
BIGING, GREG S., 30:715; 30:1103
BINGHAM, R. L., 30:747
BINKLEY, DAN, 30:26; 30:259
BLANCHE, C. A., 30:756
BLAZICH, FRANK A., 30:343
BORDERS, B. E., 30:411
BORING, LINDSAY R., 30:528
BOWDEN, DAVID C., 30:484
BRAND, GARY J., 30:1066
BRANNMAN, LANCE, 30:194
BRENNAN, EILEEN, 30:582
BRINK, GLEN E., 30:652; 30:803
BRODIE, J. DOUGLAS, 30:82
BROWN, GREGORY N., 30:999
BRYANT, CHARLES M., V, 30:375
BUHYOFF, GREGORY J., 30:71; 30:1084
BUONGIORNO, JOSEPH, 30:194
BURK, THOMAS E., 30:329
BURKHART, HAROLD E., 30:86; 30:129; 30:617; 30:991
CAMPBELL, ROBERT W., 30:883
CAO, QUANG V., 30:129
CARTER, JOHN V., 30:645
CARTER, KATHERINE K., 30:392
CASTILLO M., SERGIO, 30:928
CAWRSE, DAVID C., 30:793
CHAPMAN, ROGER C., 30:682
CHAPPELKA, ARTHUR H., III, 30:787
CLASON, TERRY R., 30:617
CLAUSEN, KNUD E., 30:441
CONKLE, M. THOMPSON, 30:183
CORDELL, C. E., Monogr. 25
COUTO, LAERCIO, 30:761
COVINGTON, W. WALLACE, 30:22; 30:183
COX, G. S., 30:364; 30:563
CROMACK, KERMIT, JR., 30:26
DABERKOW, JULIE N., 30:511
DANIEL, TERRY C., 30:1084
DANIELSON, R. M., 30:828
DAVIS, D. D., 30:587
DEACON, ARTHUR G., 30:51
DEBELL, DEAN S., 30:117; 30:705
DE STEIGUER, E., 30:697
DIECKMAN, RICHARD, 30:652
DIETERICH, JOHN H., 30:238
DIXON, R. K., 30:364; 30:563
DOSS, RAY, 30:424
DOUGLASS, JAMES E., 30:305
DUZAN, HOWARD W., JR., 30:264
EENIGENBURG, JAMES E., 30:51
EK, ALAN R., 30:731
ERNST, S., 30:871
FARMER, R. E., 30:670
FAUROT, JAMES L., 30:209
FEGE, ANNE S., 30:999
FELKER, PETER, 30:747
FERRELL, WILLIAM K., 30:2 (rev.)
FILIP, GREGORY M., 30:138; 30:1071
FLEWELLING, JAMES W., 30:813
FOY, CHESTER L., 30:291
FRANCIS, JOHN K., 30:372
FRAYER, WARREN E., 30:484
FURMAN, R. WILLIAM, 30:1045
FURNIVAL, GEORGE M., 30:673
GALE, M. R., 30:1038
GARRETT, H. E., 30:364; 30:563
GAUTHIER, LAUREEN J., 30:71
GERTNER, GEORGE Z., 30:836; 30:851
GIESE, RONALD L., 30:573
GOELZ, J. C., 30:670
GOHEEN, DONALD J., 30:138
GRAYBILL, FRANKLIN A., 30:484
GREBER, BRIAN J., 30:991
GREEN, EDWIN J., 30:617; 30:977
GRIFFITHS, C. L., 30:823
GURIES, RAYMOND P., 30:434
HAIN, FRED P., 30:171 (rev.)
HAMILTON, DAVID A., JR., 30:333
HANN, DAVID W., 30:93 (rev.); 30:559 (rev.); 30:871
HARDIE, IAN W., 30:511
HARPOLE, GEORGE B., 30:1096
HARVEY, A. E., 30:1038
HEIDMANN, L. J., 30:1079
HENDERSON, G. S., 30:965
HEWLETT, JOHN D., 30:424
HODGES, J. D., 30:756
HOGANSON, HOWARD M., 30:220
HOLBO, H. R., 30:635
HOOK, D. D., 30:705
HOUSTON, DAVID R., 30:270
HULL, R. BRUCE, IV, 30:1084
JAECK, LARRY L., 30:117
JARL, KURT, 30:897
JEYARATNAM, SAKTHIVEL, 30:484
JOHNSON, JON D., 30:913
JOHNSON, PAUL S., 30:1017
JOSLIN, J. D., 30:965
JURGENSEN, M. F., 30:1038
KAO, CHIANG, 30:921
KATIBAH, EDWIN F., 30:248
KAUFMANN, MERRILL R., 30:628
KEITH, N., 30:475
KEMP, W. P., 30:743
KENNEY, D. S., Monogr. 25
KENT, BRIAN M., 30:793
KHORRAM, SIAMAK, 30:248
KNAPP, ROBERT H., JR., 30:284
KRUG, ALBERT G., 30:573
KURODA, K., 30:548
LAARMAN, JAN G., 30:383; 30:928
LARSEN, M. J., 30:1038
LEWIS, HENRY T., 30:970
LI, PAUL H., 30:645
LINDERMAN, R. G., 30:300
LOPEZ, C. F., 30:113
LOPUSHINSKY, WILLIAM, 30:628
LORIMER, CRAIG G., 30:3
LOUSIER, J. DANIEL, 30:26
LUPPOLD, WILLIAM G., 30:1027
MARES, WILLIAM G., 30:1017
MARTIN, A. JEFF, 30:41
MARTIN, GEORGE L., 30:731
MARX, DONALD H., 30:364; 30:469; Monogr. 25; 30:897
MASON, GARLAND N., 30:375
MATHIASEN, ROBERT L., 30:842
MCARTHUR, E. D., 30:113
MCBRIDE, JOE R., 30:970
MCCLENAHEN, J. R., 30:523
MCCONNELL, KENNETH E., 30:511
MCCORMICK, L. H., 30:404
MCINTOSH, MARLA S., 30:124
MCKEE, W. H., JR. 30:705
MCNEIL, ROBERT C., 30:264
MCPHERSON, J. E., 30:864
MERZ, THOMAS E., 30:107
MESLOW, E. CHARLES, 30:95
MEXAL, J. G., Monogr. 25
MICHAELS, PATRICK J., 30:143
MITCHELL, R. J., 30:563
MITSCH, WILLIAM J., 30:499
MOLINA, R. J., Monogr. 25
MONSERUD, ROBERT A., 30:943
MORRISON, MICHAEL L., 30:95
MUSE, H. D., 30:469
MYERS, WAYNE L., 30:64
NAUTIYAL, J. C., 30:761
NEBEKER, T. E., 30:756
NEWBERRY, JAMES D., 30:329
NEWCOMER, JEFFREY A., 30:64
NISSEN, ROGER L., 30:51
NORDHEIM, ERIK V., 30:434; 30:573
NOVINGER, SANDRA L., 30:1017
NWOBOSHI, L. CHELUNOR, 30:35
OLIVER, CHADWICK DEARING, 30:117
OMI, PHILIP N., 30:730 (rev.)
OSTRY, MICHAEL E., 30:645
OSWALD, BRIAN P., 30:22
PARKE, JENNIFER L., 30:300
PARKINSON, D., 30:823
PATTERSON, HARVEY D., 30:787
PIENAAR, LEON V., 30:933; 30:1059
PROEBSTING, W. M., 30:150 (rev.)
REED, DAVID D., 30:977
REYES, ISIDRO, 30:747
REYNOLDS, MARION R. J., 30:454
RIFFLE, J. W., Monogr. 25
RIITTERS, KURT, 30:82
RINK, GEORGE, 30:821
RITCHIE, GARY A., 30:538
ROBERDS, JAMES H., 30:319
ROMME, WILLIAM H., 30:615 (rev.)
ROSE, DIETMAR W., 30:220
RUEHLE, JOHN L., 30:469; 30:897; 30:1010
RUST, WILLIAM G., 30:499
SACKETT, STEPHEN S., 30:183
SANDERS, I. L., 30:364; 30:563

[1] (rev.) = book review.

Author Index[1]

ADAMS, DARIUS M., 30:559 (rev.)
ADAMS, KENNETH B., 30:51
AKACHUKU, A. E., 30:275
ALLEN, G. M., 30:274 (rev.)
AMATEIS, RALPH L., 30:991
AMIDON, ELLIOT L., 30:166
ARTMAN, J. D., Monogr. 25
ASKEW, J. L., 30:705
BAILEY, R. L., 30:411
BALLARD, RUSSELL, 30:264
BARBOUR, J. R., 30:404
BARK, TAEHO, 30:194
BECKJORD, PETER R., 30:124
BECKWITH, ROY C., 30:743; 30:883
BELL, WAYNE, 30:897
BENGSTON, DAVID N., 30:685
BENTLEY, WILLIAM R., 30:192 (rev.)
BERCK, PETER, 30:173
BETTERS, DAVID R., 30:793
BIBLE, THOMAS, 30:173
BIGING, GREG S., 30:715; 30:1103
BINGHAM, R. L., 30:747
BINKLEY, DAN, 30:26; 30:259
BLANCHE, C. A., 30:756
BLAZICH, FRANK A., 30:343
BORDERS, B. E., 30:411
BORING, LINDSAY R., 30:528
BOWDEN, DAVID C., 30:484
BRAND, GARY J., 30:1066
BRANNMAN, LANCE, 30:194
BRENNAN, EILEEN, 30:582
BRINK, GLEN E., 30:652; 30:803
BRODIE, J. DOUGLAS, 30:82
BROWN, GREGORY N., 30:999
BRYANT, CHARLES M., V, 30:375
BUHYOFF, GREGORY J., 30:71; 30:1084
BUONGIORNO, JOSEPH, 30:194
BURK, THOMAS E., 30:329
BURKHART, HAROLD E., 30:86; 30:129; 30:617; 30:991
CAMPBELL, ROBERT W., 30:883
CAO, QUANG V., 30:129
CARTER, JOHN V., 30:645
CARTER, KATHERINE K., 30:392
CASTILLO M., SERGIO, 30:928
CAWRSE, DAVID C., 30:793
CHAPMAN, ROGER C., 30:682
CHAPPELKA, ARTHUR H., III, 30:787
CLASON, TERRY R., 30:617
CLAUSEN, KNUD E., 30:441
CONKLE, M. THOMPSON, 30:183
CORDELL, C. E., Monogr. 25
COUTO, LAERCIO, 30:761
COVINGTON, W. WALLACE, 30:22; 30:183
COX, G. S., 30:364; 30:563
CROMACK, KERMIT, JR., 30:26
DABERKOW, JULIE N., 30:511
DANIEL, TERRY C., 30:1084
DANIELSON, R. M., 30:828
DAVIS, D. D., 30:587
DEACON, ARTHUR G., 30:51
DEBELL, DEAN S., 30:117; 30:705
DE STEIGUER, E., 30:697
DIECKMAN, RICHARD, 30:652
DIETERICH, JOHN H., 30:238
DIXON, R. K., 30:364; 30:563
DOSS, RAY, 30:424
DOUGLASS, JAMES E., 30:305
DUZAN, HOWARD W., JR., 30:264
EENIGENBURG, JAMES E., 30:51
EK, ALAN R., 30:731
ERNST, S., 30:871
FARMER, R. E., 30:670
FAUROT, JAMES L., 30:209
FEGE, ANNE S., 30:999
FELKER, PETER, 30:747
FERRELL, WILLIAM K., 30:2 (rev.)
FILIP, GREGORY M., 30:138; 30:1071
FLEWELLING, JAMES W., 30:813
FOY, CHESTER L., 30:291
FRANCIS, JOHN K., 30:372
FRAYER, WARREN E., 30:484
FURMAN, R. WILLIAM, 30:1045
FURNIVAL, GEORGE M., 30:673
GALE, M. R., 30:1038
GARRETT, H. E., 30:364; 30:563
GAUTHIER, LAUREEN J., 30:71
GERTNER, GEORGE Z., 30:836; 30:851
GIESE, RONALD L., 30:573
GOELZ, J. C., 30:670
GOHEEN, DONALD J., 30:138
GRAYBILL, FRANKLIN A., 30:484
GREBER, BRIAN J., 30:991
GREEN, EDWIN J., 30:617; 30:977
GRIFFITHS, C. L., 30:823
GURIES, RAYMOND P., 30:434
HAIN, FRED P., 30:171 (rev.)
HAMILTON, DAVID A., JR., 30:333
HANN, DAVID W., 30:93 (rev.); 30:559 (rev.); 30:871
HARDIE, IAN W., 30:511
HARPOLE, GEORGE B., 30:1096
HARVEY, A. E., 30:1038
HEIDMANN, L. J., 30:1079
HENDERSON, G. S., 30:965
HEWLETT, JOHN D., 30:424
HODGES, J. D., 30:756
HOGANSON, HOWARD M., 30:220
HOLBO, H. R., 30:635
HOOK, D. D., 30:705
HOUSTON, DAVID R., 30:270
HULL, R. BRUCE, IV, 30:1084
JAECK, LARRY L., 30:117
JARL, KURT, 30:897
JEYARATNAM, SAKTHIVEL, 30:484
JOHNSON, JON D., 30:913
JOHNSON, PAUL S., 30:1017
JOSLIN, J. D., 30:965
JURGENSEN, M. F., 30:1038
KAO, CHIANG, 30:921
KATIBAH, EDWIN F., 30:248
KAUFMANN, MERRILL R., 30:628
KEITH, N., 30:475
KEMP, W. P., 30:743
KENNEY, D. S., Monogr. 25
KENT, BRIAN M., 30:793
KHORRAM, SIAMAK, 30:248
KNAPP, ROBERT H., JR., 30:284
KRUG, ALBERT G., 30:573
KURODA, K., 30:548
LAARMAN, JAN G., 30:383; 30:928
LARSEN, M. J., 30:1038
LEWIS, HENRY T., 30:970
LI, PAUL H., 30:645
LINDERMAN, R. G., 30:300
LOPEZ, C. F., 30:113
LOPUSHINSKY, WILLIAM, 30:628
LORIMER, CRAIG G., 30:3
LOUSIER, J. DANIEL, 30:26
LUPPOLD, WILLIAM G., 30:1027
MARES, WILLIAM G., 30:1017
MARTIN, A. JEFF, 30:41
MARTIN, GEORGE L., 30:731
MARX, DONALD H., 30:364; 30:469; Monogr. 25; 30:897
MASON, GARLAND N., 30:375
MATHIASEN, ROBERT L., 30:842
MCARTHUR, E. D., 30:113
MCBRIDE, JOE R., 30:970
MCCLENAHEN, J. R., 30:523
MCCONNELL, KENNETH E., 30:511
MCCORMICK, L. H., 30:404
MCINTOSH, MARLA S., 30:124
MCKEE, W. H., JR. 30:705
MCNEIL, ROBERT C., 30:264
MCPHERSON, J. E., 30:864
MERZ, THOMAS E., 30:107
MESLOW, E. CHARLES, 30:95
MEXAL, J. G., Monogr. 25
MICHAELS, PATRICK J., 30:143
MITCHELL, R. J., 30:563
MITSCH, WILLIAM J., 30:499
MOLINA, R. J., Monogr. 25
MONSERUD, ROBERT A., 30:943
MORRISON, MICHAEL L., 30:95
MUSE, H. D., 30:469
MYERS, WAYNE L., 30:64
NAUTIYAL, J. C., 30:761
NEBEKER, T. E., 30:756
NEWBERRY, JAMES D., 30:329
NEWCOMER, JEFFREY A., 30:64
NISSEN, ROGER L., 30:51
NORDHEIM, ERIK V., 30:434; 30:573
NOVINGER, SANDRA L., 30:1017
NWOBOSHI, L. CHELUNOR, 30:35
OLIVER, CHADWICK DEARING, 30:117
OMI, PHILIP N., 30:730 (rev.)
OSTRY, MICHAEL E., 30:645
OSWALD, BRIAN P., 30:22
PARKE, JENNIFER L., 30:300
PARKINSON, D., 30:823
PATTERSON, HARVEY D., 30:787
PIENAAR, LEON V., 30:933; 30:1059
PROEBSTING, W. M., 30:150 (rev.)
REED, DAVID D., 30:977
REYES, ISIDRO, 30:747
REYNOLDS, MARION R. J., 30:454
RIFFLE, J. W., Monogr. 25
RIITTERS, KURT, 30:82
RINK, GEORGE, 30:821
RITCHIE, GARY A., 30:538
ROBERDS, JAMES H., 30:319
ROMME, WILLIAM H., 30:615 (rev.)
ROSE, DIETMAR W., 30:220
RUEHLE, JOHN L., 30:469; 30:897; 30:1010
RUST, WILLIAM G., 30:499
SACKETT, STEPHEN S., 30:183
SANDERS, I. L., 30:364; 30:563

[1] (rev.) = book review.

SCHMIDT, ROBERT A., 30:787
SCHMIDTLING, R. C., 30:491
SCHMITT, J. J., 30:756
SCHREUDER, HANS T., 30:652
SCHROEDER, DANIEL I., 30:652
SCOTT, CHARLES T., 30:157
SEE, RAYMOND M., 30:291
SHAFFER, ROBERT M., 30:774
SHELTON, M. G., 30:355
SHIFLEY, STEPHEN R., 30:1066
SHIMAJI, K., 30:548
SHIVER, BARRY D., 30:933; 30:1059
SHREUDER, H. T., 30:803
SHULA, ROBERT G., 30:538
SIMARD, ALBERT J., 30:51
SINCLAIR, W. A., 30:848 (rev.)
SMITH, DAVID WM., 30:124
SMITH, DOM, 30:747
SMITH, GRETCHEN C., 30:582
SMITH, MORGAN, 30:747
SPANO, S. D., 30:1038
SPRINZ, PETER T., 30:86
SRIVASTAVA, NILIMA, 30:883
STAUDER, A. F., III, 30:475
STEDINGER, JERY R., 30:597
STEINER, K. C., 30:404
STRUVE, DANIEL K., 30:343
SWANK, WAYNE T., 30:528
SWETNAM, THOMAS W., 30:238
SWIFT, L. W., JR., 30:657
SWINDEL, BENEE F., 30:305
SWITZER, G. L., 30:355
TABOR, RUTH A., 30:892
TABOR, WILLARD A., 30:892
TAO, DALI, 30:645
TESCH, STEVEN D., 30:209
TEUKE, MICHAEL J., 30:395
THOMAS, CHARLES E., 30:813
TIEDEMANN, A. R., 30:113
TOLLIVER, J. R., 30:475
TORGERSEN, TOROLF R., 30:883
TRAPPE, J. M., 30:300
TRITTON, LOUISE M., 30:673
UMBACH, D. M., 30:587
VALENTINE, HARRY T., 30:270; 30:673
VANDERWAAL, J. A., 30:635
VAN LEAR, DAVID H., 30:395
VON ARNOLD, SARA, 30:314
WAIDE, JACK B., 30:395
WARE, K. D., 30:411
WATSON, E. ERIC, 30:991
WEATHERHEAD, DONALD J., 30:682
WEBER, B. C., 30:864
WELLMAN, J. DOUGLAS, 30:71
WELLS, CAROL G., 30:1010
WENSEL, LEE C., 30:715
WILLIAMS, R. A., 30:523
WILLIAMSON, RICHARD L., 30:284
WILSON, R. L., 30:803
WOHLGENANT, MICHAEL K., 30:383
ZEIDE, BORIS, 30:907
ZIVNUSKA, JOHN A., 30:218 (rev.)
ZUURING, HANS R., 30:209

Abies concolor
A general taper functional form to predict bole volume for five mixed-conifer species in California. **30:166**
Root diseases cause severe mortality in white and grand fir stands of the Pacific Northwest. **30:138**
Volume and value prediction for young-growth true fir trees. **30:871**
Abies grandis
Dwarf mistletoe and Cytospora canker decrease grand fir growth in central Oregon. **30:1071**
Root diseases cause severe mortality in white and grand fir stands of the Pacific Northwest. **30:138**
Sampling the western spruce budworm: fourth instars, pupae, and egg masses. **30:883**
Shoot growth models for Douglas-fir and grand fir. **30:743**
Volume and value prediction for young-growth true fir trees. **30:871**
Abies lasiocarpa* var. *arizonica
Comparative susceptibility of corkbark fir and Douglas-fir to Douglas-fir dwarf mistletoe. **30:842**
Abies magnifica
Volume and value prediction for young-growth true fir trees. **30:871**
***Acer* spp.**
Flight characteristics and dispersal potential of maple samaras. **30:434**
Principal components analysis of total tree form in seven central Pennsylvania hardwood species. **30:64**
Acer rubrum
Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**
Daminozide and ethephon effects on growth of red maple and white pine on cleared sites. **30:291**
Development of the red maple understory in northeastern oak forests. **30:3**
Acer rubrum
Germination characteristics of red maple in northwestern Ontario. **30:670**
Acer saccharinum
Response of silver maple seedlings to an acute dose of root applied cadmium. **30:582**
Acer saccharum
Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**
acetylene reduction
Nitrogen fixation associated with increased wood decay in Douglas-fir residue. **30:1038**
adaptive optimization
Optimal stocking levels and rotation under uncertainty. **30:921**
advance regeneration
Young stand development in coastal western hemlock as influenced by three harvesting regimes. **30:117**
adventitious bud production
Importance of genotype on the potential for *in vitro* adventitious bud production of *Picea abies*. **30:314**
aeciospore inoculum
Dynamics of aeciospore inoculum production by *Cronartium quercuum* f. sp. *fusiforme* on slash pine. **30:787**
aerial photography
Sampling and estimation of conifer mortality using large-scale color aerial photography. **30:333**
aerial stand data
Establishing southern pine beetle hazard from aerial stand data and historical records. **30:375**
age-age correlations
Trends in genetic control of juvenile black walnut height growth. **30:821**
alachlor
Evaluation of herbicides for use in transplanting *Leucaena leucocephala* and *Prosopis alba* on semi-arid lands without irrigation. **30:747**
alder, red (*see* ***Alnus rubra***)
alder, Sitka (*see* ***Alnus sinuata***)
algebraic difference method
Slash pine site index from a polymorphic model by joining (splining) nonpolynomial segments with an algebraic difference method. **30:411**
algorithm
A simple algorithm for moment-based recovery of Weibull distribution parameters. **30:329**
allele frequencies
Genetic structure in loblolly pine stands: allozyme variation in parents and progeny. **30:319**
allozyme variation
Genetic structure in loblolly pine stands: allozyme variation in parents and progeny. **30:319**
Alnus rubra
Douglas-fir stem growth per unit of leaf area increased by interplanted Sitka alder and red alder. **30:259**
Alnus sinuata
Douglas-fir stem growth per unit of leaf area increased by interplanted Sitka alder and red alder. **30:259**
Ecosystem effects of Sitka alder in a Douglas-fir plantation. **30:26**
aluminum toxicity
Response of *Populus* hybrids to aluminum toxicity. **30:404**
ambrosia beetle (*see* ***Xylosandrus germanus***)
ammonium fertilization
Effects of nitrogen fertilization and *Pisolithus tinctorius* on *Quercus rubra* seedling root and top development. **30:124**
anaerobiosis
Growth and physiology of loblolly pine roots under various water table level and phosphorus treatments. **30:705**
anamorphic curves
The effect of planting density on dominant height in unthinned slash pine plantations. **30:1059**
Arceuthobium abietinum
Dwarf mistletoe and Cytospora canker decrease grand fir growth in central Oregon. **30:1071**
Arceuthobium douglasii
Comparative susceptibility of corkbark fir and Douglas-fir to Douglas-fir dwarf mistletoe. **30:842**
Armillaria mellea
Root diseases cause severe mortality in white and grand fir stands of the Pacific Northwest. **30:138**
Artemisia tridentata
Carbohydrate and nitrogen concentrations in leaves of three shrub species following microwave, autoclave, and air-drying treatments. **30:113**
artificial regeneration
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**
Effects of cold soil on water relations and spring growth of Douglas-fir seedlings. **30:628**
ash, white (*see* ***Fraxinus americana***)
Atriplex canescens
Carbohydrate and nitrogen concentrations in leaves of three shrub species following microwave, autoclave, and air-drying treatments. **30:113**
Australian eucalyptus
Occurrence of fire scars in relation to the season and

frequency of surface fires in eucalyptus forests of the Northern Territory, Australia. **30:970**

autoclave treatment
Carbohydrate and nitrogen concentrations in leaves of three shrub species following microwave, autoclave, and air-drying treatments. **30:113**

autocorrelation
Height growth and site index curves for inland Douglas-fir based on stem analysis data and forest habitat type. **30:943**

avifauna
Effects of the herbicide glyphosate on bird community structure, western Oregon. **30:95**

balanced diameter distribution
Some mensurational formulas associated with balanced diameter distribution. **30:682**

bare-root tree seedlings
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**

basal area growth
Chapman-Richards growth function constrained for maximum tree size. **30:1066**

basal area growth estimator
An improved estimator for merchantable basal area growth based on point samples. **30:813**

basal area growth model
An analysis and models of basal area growth in 45-year-old unthinned and thinned slash pine plantation plots. **30:933**

basal area projection equations
Compatible cubic volume and basal area projection equations for thinned old-field loblolly pine plantations. **30:86**

basidiospore-encapsulated seed
Development of *Pisolithus tinctorius* ectomycorrhizae on pine seedlings using basidiospore-encapsulated seeds. **30:897**

Bayesian procedure
Localizing a diameter increment model with a sequential Bayesian procedure. **30:851**

beetle, ambrosia (*see* ***Xylosandrus germanus***)

beetle, southern pine (*see* ***Dendroctonus frontalis***)

beetle hazard determination
Establishing southern pine beetle hazard from aerial stand data and historical records. **30:375**

beetle outbreak intensity
Climate and the southern pine beetle in Atlantic Coastal and Piedmont regions. **30:143**

biological stains
Techniques for distinguishing the sapwood-heartwood boundary in living loblolly pine (*Pinus taeda* L.). **30:756**

biomass
Biomass accumulation by single- and multiple-stemmed young sycamore. **30:372**

Biomass and nutrient content of a 41-year-old loblolly pine (*Pinus taeda* L.) plantation on a poor site in South Carolina. **30:395**

Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**

Douglas-fir stem growth per unit of leaf area increased by interplanted Sitka alder and red alder. **30:259**

Ecosystem effects of Sitka alder in a Douglas-fir plantation. **30:26**

Subsampling trees for biomass, volume, or mineral content. **30:673**

biomass inventory
Principal components analysis of total tree form in seven central Pennsylvania hardwood species. **30:64**

bird habitat use
Effects of the herbicide glyphosate on bird community structure, western Oregon. **30:95**

bitter pecan (*see* ***Carya illinoensis***)

bivariate time-series forecasts
Econometric versus univariate and bivariate time-series forecasts: the case of softwood lumber imports. **30:194**

black locust (*see* ***Robinia pseudoacacia***)

black oak (*see* ***Quercus velutina***)

black walnut (*see* ***Juglans nigra***)

bole volume predicting
A general taper functional form to predict bole volume for five mixed-conifer species in California. **30:166**

borrowing
Internal rate of return may be used to define initial equity for composite rate-of-return analysis. **30:1096**

bottomland forest
Tree growth responses to flooding in a bottomland forest in northeastern Illinois. **30:499**

branch sampling
Subsampling trees for biomass, volume, or mineral content. **30:673**

Brazil eucalypt production function
The nature and uses of the timber production function: *Eucalyptus grandis* in Brazil. **30:761**

broad area distribution model
A model for basal area distribution in loblolly pine. **30:617**

browse
Daminozide and ethephon effects on growth of red maple and white pine on cleared sites. **30:291**

bud production
Importance of genotype on the potential for *in vitro* adventitious bud production of *Picea abies*. **30:314**

budworm, spruce (*see* ***Choristoneura fumiferana***)

budworm, western spruce (*see* ***Choristoneura occidentalis***)

budworm outbreak
A spruce budworm-forest model and its implications for suppression programs. **30:597**

burning
Inoculum potential of ectomycorrhizal fungi in forest soils of southwest Oregon and northern California. **30:300**

cadmium
Response of silver maple seedlings to an acute dose of root applied cadmium. **30:582**

California mixed-conifer
A general taper functional form to predict bole volume for five mixed-conifer species in California. **30:166**

cambial initial
The pinning method for marking xylem growth in hardwood species. **30:548**

canker fungus (*see* ***Cytospora abietis***)

capital substitution
Impact of cost-share programs on private reforestation investment. **30:697**

carbohydrate
Nitrogen fixation associated with increased wood decay in Douglas-fir residue. **30:1038**

carbohydrate distribution
Carbohydrate distribution in dormant *Populus* shoots and hardwood cuttings. **30:999**

carbohydrates, total nonstructural
Carbohydrate and nitrogen concentrations in leaves of three shrub species following microwave, autoclave, and air-drying treatments. **30:113**

Caribbean markets
A market-share model to assess price competitiveness of softwood lumber exports to Caribbean markets. **30:928**

Carya aquatica
The reliability of selected morphological characteristics in identifying *Carya* × *lecontei* through controlled-pollination experiments. **30:475**

Carya illinoensis

The reliability of selected morphological characteristics in identifying *Carya* × *lecontei* through controlled-pollination experiments. **30:475**

Carya* × *lecontei

The reliability of selected morphological characteristics in identifying *Carya* × *lecontei* through controlled-pollination experiments. **30:475**

Cenococcum geophilum

Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. I. Inoculation success and seedling growth relationships. **30:364**

Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. II. Foliar nutrient content and isolate effectiveness. **30:563**

change estimation

A new look at sampling with partial replacement. **30:157**

Chapman-Richards function

A model for basal area distribution in loblolly pine. **30:617**

Taper equations for second-growth mixed conifers of northern California. **30:1103**

Chapman-Richards growth function

Chapman-Richards growth function constrained for maximum tree size. **30:1066**

charcoal

Fuelwood consumption: a cross-country comparison. **30:383**

chill effect on needle rooting response

Pre-severance environmental conditions influence rooting response of eastern white pine needle fascicles. **30:343**

Choristoneura fumiferana

A spruce budworm-forest model and its implications for suppression programs. **30:597**

Choristoneura occidentalis

Sampling the western spruce budworm: fourth instars, pupae, and egg masses. **30:883**

Shoot growth models for Douglas-fir and grand fir. **30:743**

clearcuts

Effects of the herbicide glyphosate on bird community structure, western Oregon. **30:95**

clearcutting

Forests, floods, and erosion: a watershed experiment in the southeastern Piedmont. **30:424**

Inoculum potential of ectomycorrhizal fungi in forest soils of southwest Oregon and northern California. **30:300**

climate

Climate and the southern pine beetle in Atlantic Coastal and Piedmont regions. **30:143**

clonal propagation

Rooting of tamarack cuttings. **30:392**

cluster sampling

An improved estimator for merchantable basal area growth based on point samples. **30:813**

coastal western hemlock

Young stand development in coastal western hemlock as influenced by three harvesting regimes. **30:117**

coefficient interpretation

Exponential diameter distribution: interpretation of coefficients. **30:907**

coefficients of genetic prediction

Trends in genetic control of juvenile black walnut height growth. **30:821**

cold soil effect

Effects of cold soil on water relations and spring growth of Douglas-fir seedlings. **30:628**

color aerial photography

Sampling and estimation of conifer mortality using large-scale color aerial photography. **30:333**

color photography

Vegetation/land cover mapping of the Middle Fork of the Feather River watershed using Landsat digital data. **30:248**

competition index

A comparison of competition measures and growth models for predicting plantation red pine diameter and height growth. **30:731**

composite fire intervals

Occurrence of fire scars in relation to the season and frequency of surface fires in eucalyptus forests of the Northern Territory, Australia. **30:970**

composite rate of return

Internal rate of return may be used to define initial equity for composite rate-of-return analysis. **30:1096**

cone production

Fertilization increases cone production in a 55-year-old ponderosa pine stand in central Arizona. **30:1079**

conifer forests

Taper equations for second-growth mixed conifers of northern California. **30:1103**

conifer mortality

Sampling and estimation of conifer mortality using large-scale color aerial photography. **30:333**

consumer surplus

Economic impacts of structural particleboard research. **30:685**

container-grown oak

Inoculation of three *Quercus* species with elevan isolates of ectomycorrhizal fungi. I. Inoculation success and seedling growth relationships. **30:364**

container-grown seedlings

Development of *Pisolithus tinctorius* ectomycorrhizae on container-grown pine seedlings as affected by fertility. **30:1010**

Development of *Pisolithus tinctorius* ectomycorrhizae on pine seedlings using basidiospore-encapsulated seeds. **30:897**

Effects of fertilization on the growth and mycorrhizal development of container-grown jack pine seedlings. **30:828**

Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. II. Foliar nutrient content and isolate effectiveness. **30:563**

Root, shoot, and leaf area growth potentials of northern red oak planting stock. **30:1017**

containerized seedlings

Effects of nitrogen fertilization and *Pisolithus tinctorius* on *Quercus rubra* seedling root and top development. **30:124**

Continuous Forest Inventory

A new look at sampling with partial replacement. **30:157**

contour plot procedure

Nonlinear regressions and contour plots: techniques for selection and transfer of white ash provenances. **30:441**

contract valuation

Valuation of certain long-term timber cutting contracts. **30:774**

corkbark fir (*see* ***Abies lasiocarpa* var. *arizonica*)**

correlation

Evaluating the adequacy of a fire-danger rating network. **30:1045**

cost-loss function

Approximating the precision of the parameter estimates of a nonlinear model prior to sampling. **30:836**

cost-share program

Impact of cost-share programs on private reforestation investment. **30:697**

country fuelwood use

Fuelwood consumption: a cross-country comparison. **30:383**

covariance

Trends in genetic control of juvenile black walnut height growth. **30:821**

critical error
Estimating the error in model predictions. **30:454**
Cronartium quercuum* f. sp. *fusiforme
Dynamics of aeciospore inoculum production by *Cronartium quercuum* f. sp. *fusiforme* on slash pine. **30:787**
crown shadow equations
Crown shadow area equations. **30:284**
cubic foot volume
Model-based sampling versus point-Poisson sampling on a timber sale in the Roosevelt National Forest in Colorado. **30:652**
cubic volume projection equations
Compatible cubic volume and basal area projection equations for thinned old-field loblolly pine plantations. **30:86**
cultivation
Early intensive culture affects long-term growth of loblolly pine trees. **30:491**
cumulation distribution function
A segmented distribution approach for modeling diameter frequency data. **30:129**
cutting contracts
Valuation of certain long-term timber cutting contracts. **30:774**
cuttings carbohydrate content
Carbohydrate distribution in dormant *Populus* shoots and hardwood cuttings. **30:999**
Cytospora abietis
Dwarf mistletoe and Cytospora canker decrease grand fir growth in central Oregon. **30:1071**
Cytospora chrysosperma
Relationship of environmental stress on *Cytospora chrysosperma* infection to spring dieback of poplar shoots. **30:645**
Dahm's method
Height growth and site index curves for inland Douglas-fir based on stem analysis data and forest habitat type. **30:943**
daminozide
Daminozide and ethephon effects on growth of red maple and white pine on cleared sites. **30:291**
Dantzig-Wolfe decomposition algorithm
A simulation approach for optimal timber management scheduling. **30:220**
deacclimation
Relationship of environmental stress and *Cytospora chrysosperma* infection to spring dieback of poplar shoots. **30:645**
decay
Nitrogen fixation associated with increased wood decay in Douglas-fir residue. **30:1038**
decision analysis
Optimal stocking levels and rotation under uncertainty. **30:921**
decomposition
Solving and interpreting large-scale harvest scheduling problems by duality and decomposition. **30:173**
deer, white-tailed (*see* ***Odocoileus virginianus***)
deer browse
Daminozide and ethephon effects on growth of red maple and white pine on cleared sites. **30:291**
defoliation
Daminozide and ethephon effects on growth of red maple and white pine on cleared sites. **30:291**
Identifying mixed-oak stand susceptibility to gypsy moth defoliation: an update. **30:270**
defoliator population
Sampling the western spruce budworm: fourth instars, pupae, and egg masses. **30:883**
degree-days
Shoot growth models for Douglas-fir and grand fir. **30:743**
demand
An econometric study of the U.S. hardwood lumber market. **30:1027**
dendrochronology
Dendrochronology of a fire-scarred ponderosa pine. **30:238**
Dendroctonus frontalis
Climate and the southern pine beetle in Atlantic Coastal and Piedmont regions. **30:143**
density
The possibility of tree selection and breeding for genetic improvement of wood properties of *Gmelina arborea*. **30:275**
determining living tissue in fine roots
The determination of percentages of living tissue in woody fine root samples using triphenyltetrazolium chloride. **30:965**
diameter
The possibility of tree selection and breeding for genetic improvement of wood properties of *Gmelina arborea*. **30:275**
diameter distribution
Exponential diameter distribution: interpretation of coefficients. **30:907**
A simple algorithm for moment-based recovery of Weibull distribution parameters. **30:329**
Some mensurational formulas associated with balanced diameter distribution. **30:682**
diameter frequency data modeling
A segmented distribution approach for modeling diameter frequency data. **30:129**
diameter growth
Chapman-Richards growth function constrained for maximum tree size. **30:1066**
A comparison of competition measures and growth models for predicting plantation red pine diameter and height growth. **30:731**
Fertilization increases cone production in a 55-year-old ponderosa pine stand in central Arizona. **30:1079**
diameter increment model
Localizing a diameter increment model with a sequential Bayesian procedure. **30:851**
dieback
Daminozide and ethephon effects on growth of red maple and white pine on cleared sites. **30:291**
Relationship of environmental stress and *Cytospora chrysosperma* infection to spring dieback of poplar shoots. **30:645**
digestibility
Daminozide and ethephon effects on growth of red maple and white pine on cleared sites. **30:291**
digitizer
A photographic technique for use with stem analysis. **30:715**
discriminant function
Identifying mixed-oak stand susceptibility to gypsy moth defoliation: an update. **30:270**
disease
Root diseases cause severe mortality in white and grand fir stands of the Pacific Northwest. **30:138**
distance-dependent
A comparison of competition measures and growth models for predicting plantation red pine diameter and height growth. **30:731**
distance-independent
A comparison of competition measures and growth models for predicting plantation red pine diameter and height growth. **30:731**
distributed lags
Impact of cost-share programs on private reforestation investment. **30:697**
Douglas-fir (*see* ***Pseudotsuga menziesii***)
Douglas-fir dwarf mistletoe (*see* ***Arceuthobium douglasii***)
drought effects

Development of the red maple understory in northeastern oak forests. **30:3**
dry weight
Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**
duality
Solving and interpreting large-scale harvest scheduling problems by duality and decomposition. **30:173**
dwarf mistletoe (*see* ***Arceuthobium douglasii***)
dynamic programming
Optimal stocking levels and rotation under uncertainty. **30:921**
E-strain
Effects of fertilization on the growth and mycorrhizal development of container-grown jack pine seedlings. **30:828**
eastern white pine, (*see* ***Pinus strobus***)
econometric forecasts
Econometric versus univariate and bivariate time-series forecasts: the case of softwood lumber imports. **30:194**
econometric market study
An econometric study of the U.S. hardwood lumber market. **30:1027**
economic development
Fuelwood consumption: a cross-country comparison. **30:383**
economic impact
Economic impacts of structural particleboard research. **30:685**
economic market analysis
An econometric analysis of the market for pulpwood harvested in Michigan's Upper Peninsula. **30:107**
economic optimization
A timber harvesting model with variable rotation lengths. **30:511**
ecosystem effects
Ecosystem effects of Sitka alder in a Douglas-fir plantation. **30:26**
ectomycorrhizae
Calculated nondestructive indices of growth response for young pine seedlings. **30:469**
Development of *Pisolithus tinctorius* ectomycorrhizae on container-grown pine seedlings as affected by fertility. **30:1010**
Development of *Pisolithus tinctorius* ectomycorrhizae on pine seedlings using basidiospore-encapsulated seeds. **30:897**
Effects of nitrogen fertilization and *Pisolithus tinctorius* on *Quercus rubra* seedling root and top development. **30:124**
Evidence for ectomycorrhizal fungus-mediated nutrient transfer between *Pinus* and Tradescantia. **30:892**
Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. I. Inoculation success and seedling growth relationships. **30:364**
Inoculum potential of ectomycorrhizal fungi in forest soils of southwest Oregon and northern California. **30:300**
ectomycorrhizae development
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**
ectomycorrhizal fungi
Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. II. Foliar nutrient content and isolate effectiveness. **30:563**
egg masses
Sampling the western spruce budworm: fourth instars, pupae, and egg masses. **30:883**
elasticity of substitution
A market-share model to assess price competitiveness of softwood lumber exports to Caribbean markets. **30:928**
encapsulated seed
Development of *Pisolithus tinctorius* ectomycorrhizae on pine seedlings using basidiospore-encapsulated seeds. **30:897**
energy supply and demand
Fuelwood consumption: a cross-country comparison. **30:383**
English oak (*see* ***Quercus robur***)
environmental stress
Relationship of environmental stress and *Cytospora chrysosperma* infection to spring dieback of poplar shoots. **30:645**
epidemiology
Dynamics of aeciospore inoculum production by *Cronartium quercuum* f. sp. *fusiforme* on slash pine. **30:787**
equation accuracy testing
Testing volume equation accuracy with water displacement techniques. **30:41**
equity
Internal rate of return may be used to define initial equity for composite rate-of-return analysis. **30:1096**
erosion
Forests, floods, and erosion: a watershed experiment in the southeastern Piedmont. **30:424**
Gravel and grass surfacing reduces soil loss from mountain roads. **30:657**
error estimating
Estimating the error in model predictions. **30:454**
estimating pine needle surface area
A rapid technique for estimating total surface area of pine needles. **30:913**
estimation
Estimation in multiphase designs for stratification. **30:484**
Sampling and estimation of conifer mortality using large-scale color aerial photography. **30:333**
estimation of scenic beauty
Measurement of scenic beauty: the Law of Comparative Judgment and Scenic Beauty Estimation procedures. **30:1084**
estimator for basal area growth
An improved estimator for merchantable basal area growth based on point samples. **30:813**
ethephon
Daminozide and ethephon effects on growth of red maple and white pine on cleared sites. **30:291**
***Eucalyptus* spp.**
Occurrence of fire scars in relation to the season and frequency of surface fires in eucalyptus forests of the Northern Territory, Australia. **30:970**
Eucalyptus grandis
The nature and uses of the timber production function: *Eucalyptus grandis* in Brazil. **30:761**
Euler equation
A variational solution technique for determining optimal thinning and rotational schedules. **30:793**
evaluating fire-danger network
Evaluating the adequacy of a fire-danger rating network. **30:1045**
even-aged stands
A variational solution technique for determining optimal thinning and rotational schedules. **30:793**
experimental design
Approximating the precision of the parameter estimates of a nonlinear model prior to sampling. **30:836**
exponential diameter distribution
Exponential diameter distribution: interpretation of coefficients. **30:907**
exporting countries
A market-share model to assess price competitive-

ness of softwood lumber exports to Caribbean markets. **30:928**
exports
An econometric analysis of the market for pulpwood harvested in Michigan's Upper Peninsula. **30:107**
***F* statistics**
Genetic structure in loblolly pine stands: allozyme variation in parents and progeny. **30:319**
fascicle surface area relationships
Variation in the surface area relationships of loblolly pine fascicles. **30:355**
Faustmann formula
A variational solution technique for determining optimal thinning and rotational schedules. **30:793**
Faustmann model
A timber harvesting model with variable rotation lengths. **30:511**
feedback
Localizing a diameter increment model with a sequential Bayesian procedure. **30:851**
felled tree data
A photographic technique for use with stem analysis. **30:715**
fertility regimes
Development of *Pisolithus tinctorius* ectomycorrhizae on container-grown pine seedlings as affected by fertility. **30:1010**
fertilization
Early intensive culture affects long-term growth of loblolly pine trees. **30:491**
fertilizer effect
Effects of fertilization on the growth and mycorrhizal development of container-grown jack pine seedlings. **30:828**
Fertilization increases cone production in a 55-year-old ponderosa pine stand in central Arizona. **30:1010**
fertilizer response
Growth and physiology of loblolly pine roots under various water table level and phosphorus treatments. **30:705**
Prediction of mid-term from short-term fertilizer responses for southern pine plantations. **30:264**
fiber length
The possibility of tree selection and breeding for genetic improvement of wood properties of *Gmelina arborea*. **30:275**
fine roots
The determination of percentages of living tissue in woody fine root samples using triphenyltetrazolium chloride. **30:965**
fir, corkbark (*see* ***Abies lasiocarpa* var. *arizonica***)
fir, grand (**see *Abies grandis***)
fir, white (*see* ***Abies concolor***)
fir stand mortality
Root diseases cause severe mortality in white and grand fir stands of the Pacific Northwest. **30:138**
fir young-growth volume prediction
Volume and value prediction for young-growth true fir trees. **30:871**
fire behavior
A general procedure for sampling and analyzing wildland fire spread. **30:51**
fire-danger rating network
Evaluating the adequacy of a fire-danger rating network. **30:1045**
fire effects
The effect of a prescribed burn in southwestern ponderosa pine on organic matter and nutrients in woody debris and forest floor. **30:183**
fire history
Dendrochronology of a fire-scarred ponderosa pine. **30:238**
Occurrence of fire scars in relation to the season and frequency of surface fires in eucalyptus forests of the Northern Territory, Australia. **30:970**
fire prescription
Effect of a prescribed fire on herbage production in southwestern ponderosa pine on sedimentary soils. **30:22**
fire scar occurrence
Occurrence of fire scars in relation to the season and frequency of surface fires in eucalyptus forests of the Northern Territory, Australia. **30:970**
firewood
Fuelwood consumption: a cross-country comparison. **30:383**
flight characteristics
Flight characteristics and dispersal potential of maple samaras. **30:434**
flooding
Forests, floods, and erosion: a watershed experiment in the southeastern Piedmont. **30:424**
Tree growth responses to flooding in a bottomland forest in northeastern Illinois. **30:499**
flooding effect
Growth and physiology of loblolly pine roots under various water table level and phosphorus treatments. **30:705**
flowering
Fertilization increases cone production in a 55-year-old ponderosa pine stand in central Arizona. **30:1079**
foliar nutrient content
Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. II. Foliar nutrient content and isolate effectiveness. **30:563**
Fomes annosus
Root diseases cause severe mortality in white and grand fir stands of the Pacific Northwest. **30:138**
Fomitopsis pinicola
Nitrogen fixation associated with increased wood decay in Douglas-fir residue. **30:1038**
forage production
Effect of a prescribed fire on herbage production in southwestern ponderosa pine on sedimentary soils. **30:22**
forecasting
Econometric versus univariate and bivariate time-series forecasts: the case of softwood lumber imports. **30:194**
forest erosion
Forests, floods, and erosion: a watershed experiment in the southeastern Piedmont. **30:424**
forest floor nutrients
The effect of a prescribed burn in southwestern ponderosa pine on organic matter and nutrients in woody debris and forest floor. **30:183**
forest industry
Valuation of certain long-term timber cutting contracts. **30:774**
forest inventory
A new look at sampling with partial replacement. **30:157**
forest management model
The nature and uses of the timber production function: *Eucalyptus grandis* in Brazil. **30:761**
forest planning
A simulation approach for optimal timber management scheduling. **30:220**
forest regeneration
Inoculum potential of ectomycorrhizal fungi in forest soils of southwest Oregon and northern California. **30:300**
Symbiotic nitrogen fixation in regenerating black locust (*Robinia pseudoacacia* L.) stands. **30:528**
forest soils

Prediction of mid-term from short-term fertilizer responses for southern pine plantations. **30:264**

forest succession

Development of the red maple understory in northeastern oak forests. **30:3**

Fraxinus americana

Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**

Nonlinear regressions and contour plots: techniques for selection and transfer of white ash provenances. **30:441**

Fraxinus pennsylvanica

Tree growth responses to flooding in a bottomland forest in northeastern Illinois. **30:499**

Freese's chi-squared test

Estimating the error in model predictions. **30:454**

freezing resistance

Relationship of environmental stress and *Cytospora chrysosperma* infection to spring dieback of poplar shoots. **30:645**

fuelwood consumption

Fuelwood consumption: a cross-country comparison. **30:383**

fungi

Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. I. Inoculation success and seedling growth relationships. **30:364**

Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. II. Foliar nutrient content and isolate effectiveness. **30:563**

fungus-mediated nutrient transfer

Evidence for ectomycorrhizal fungus-mediated nutrient transfer between *Pinus* and Tradescantia. **30:892**

fusiform rust (*see* ***Cronartium quercuum***)

Fusarium moniliforme* var. *subglutinans

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**

genetic control trends

Trends in genetic control of juvenile black walnut height growth. **30:821**

genetic improvement

The possibility of tree selection and breeding for genetic improvement of wood properties of *Gmelina arborea*. **30:275**

genetic structure

Genetic structure in loblolly pine stands: allozyme variation in parents and progeny. **30:319**

genotype

Importance of genotype on the potential for *in vitro* adventitious bud production of *Picea abies*. **30:314**

germination characteristics

Germination characteristics of red maple in northwestern Ontario. **30:670**

glyphosate

Effects of the herbicide glyphosate on bird community structure, western Oregon. **30:95**

Gmelina arborea

The possibility of tree selection and breeding for genetic improvement of wood properties of *Gmelina arborea*. **30:275**

grand fir (*see* ***Abies grandis***)

grass surfacing

Gravel and grass surfacing reduces soil loss from mountain roads. **30:657**

gravel surfacing

Gravel and grass surfacing reduces soil loss from mountain roads. **30:657**

growth

Attack on black walnut trees by the ambrosia beetle *Xylosandrus germanus* (Coleoptera: Scolytidae). **30:864**

Early intensive culture affects long-term growth of loblolly pine trees. **30:491**

Effects of fertilization on the growth and mycorrhizal development of container-grown jack pine seedlings. **30:828**

Growth and nutrient requirements in a teak plantation age series in Nigeria. II. Nutrient accumulation and minimum annual requirements. **30:35**

Growth and physiology of loblolly pine roots under various water table level and phosphorus treatments. **30:705**

A model for basal area distribution in loblolly pine. **30:617**

Response of silver maple seedlings to an acute dose of root applied cadmium. **30:582**

growth affected by mistletoe

Dwarf mistletoe and Cytospora canker decrease grand fir growth in central Oregon. **30:1071**

growth and yield

Implementing optimal thinning strategies. **30:82**

growth and yield modeling

A simple algorithm for moment-based recovery of Weibull distribution parameters. **30:329**

growth curves

Height growth and site index curves for inland Douglas-fir based on stem analysis data and forest habitat type. **30:943**

growth function

Chapman-Richards growth function constrained for maximum tree size. **30:1066**

growth model

An analysis and models of basal area growth in 45-year-old unthinned and thinned slash pine plantation plots. **30:933**

Approximating the precision of the parameter estimates of a nonlinear model prior to sampling. **30:836**

growth potential

Root, shoot, and leaf area growth potentials of northern red oak planting stock. **30:1017**

growth predicting

A comparison of competition measures and growth models for predicting plantation red pine diameter and height growth. **30:731**

growth projection system

Localizing a diameter increment model with a sequential Bayesian procedure. **30:851**

growth response indices

Calculated nondestructive indices of growth response for young pine seedlings. **30:469**

growth responses to flooding

Tree growth responses to flooding in a bottomland forest in northeastern Illinois. **30:499**

growth retardant

Daminozide and ethephon effects on growth of red maple and white pine on cleared sites. **30:291**

gypsy moth defoliation

Identifying mixed-oak stand susceptibility to gypsy moth defoliation: an update. **30:270**

habitat modification

Effects of the herbicide glyphosate on bird community structure, western Oregon. **30:95**

hardwood biomass equations

Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**

hardwood cuttings

Carbohydrate distribution in dormant *Populus* shoots and hardwood cuttings. **30:999**

hardwood lumber market

An econometric study of the U.S. hardwood lumber market. **30:1027**

hardwood species

Principal components analysis of total tree form in seven central Pennsylvania hardwood species. **30:64**

hardwood xylem marking

The pinning method for marking xylem growth in hardwood species. **30:548**

hardwoods
Tree growth responses to flooding in a bottomland forest in northeastern Illinois. **30:499**
harvest scheduling
A simulation approach for optimal timber management scheduling. **30:220**
harvest scheduling problems
Solving and interpreting large-scale harvest scheduling problems by duality and decomposition. **30:173**
harvesting regimes effect
Young stand development in coastal western hemlock as influenced by three harvesting regimes. **30:117**
heartwood
Techniques for distinguishing the sapwood-heartwood boundary in living loblolly pine (*Pinus taeda* L.). **30:756**
heat resistance
Relationship of environmental stress and *Cytospora chrysosperma* infection to spring dieback of poplar shoots. **30:645**
Heger's method
Height growth and site index curves for inland Douglas-fir based on stem analysis data and forest habitat type. **30:943**
height
The possibility of tree selection and breeding for genetic improvement of wood properties of *Gmelina arborea*. **30:275**
height age curves
Slash pine site index from a polymorphic model by joining (splining) nonpolynomial segments with an algebraic difference method. **30:411**
height growth
A comparison of competition measures and growth models for predicting plantation red pine diameter and height growth. **30:731**
Nonlinear regressions and contour plots: techniques for selection and transfer of white ash provenances. **30:441**
Trends in genetic control of juvenile black walnut height growth. **30:821**
height growth curves
Height growth and site index curves for inland Douglas-fir based on stem analysis data and forest habitat type. **30:943**
height growth models
The effect of planting density on dominant height in unthinned slash pine plantations. **30:1059**
herbage production
Effect of a prescribed fire on herbage production in southwestern ponderosa pine on sedimentary soils. **30:22**
herbicide effect
Effects of the herbicide glyphosate on bird community structure, western Oregon. **30:95**
herbicide evaluation
Evaluation of herbicides for use in transplanting *Leucaena leucocephala* and *Prosopis alba* on semi-arid lands without irrigation. **30:747**
hickory, water (*see* ***Carya aquatica***)
Honer's volume equation
Compatible stem taper and volume ratio equations. **30:977**
host phenology
Shoot growth models for Douglas-fir and grand fir. **30:743**
hybrid
The reliability of selected morphological characteristics in identifying *Carya* × *lecontei* through controlled-pollination experiments. **30:475**
hybrid *Populus* shoots
Carbohydrate distribution in dormant *Populus* shoots and hardwood cuttings. **30:999**
hybrid response to aluminum
Response of *Populus* hybrids to aluminum toxicity. **30:404**
hydrology
Describing and testing nonlinear treatment effects in paired watershed experiments. **30:305**
identifying stand susceptibility to defoliation
Identifying mixed-oak stand susceptibility to gypsy moth defoliation: an update. **30:270**
import forecasts
Econometric versus univariate and bivariate time-series forecasts: the case of softwood lumber imports. **30:194**
importing countries
A market-share model to assess price competitiveness of softwood lumber exports to Caribbean markets. **30:928**
incense-cedar (*see* ***Libocedrus decurrens***)
incentives
Impact of cost-share programs on private reforestation investment. **30:697**
increment data
Determining initial values for parameters of a Weibull model: a case study. **30:573**
increment model
Localizing a diameter increment model with a sequential Bayesian procedure. **30:851**
index of suppression
An analysis and models of basal area growth in 45-year-old unthinned and thinned slash pine plantation plots. **30:933**
individual tree
Chapman-Richards growth function constrained for maximum tree size. **30:1066**
individual-tree growth
A comparison of competition measures and growth models for predicting plantation red pine diameter and height growth. **30:731**
infection susceptibility
Comparative susceptibility of corkbark fir and Douglas-fir to Douglas-fir dwarf mistletoe. **30:842**
inhibitors
Daminozide and ethephon effects on growth of red maple and white pine on cleared sites. **30:291**
initial equity
Internal rate of return may be used to define initial equity for composite rate-of-return analysis. **30:1096**
initial parameter estimates
Determining initial values for parameters of a Weibull model: a case study. **30:573**
inoculation
Effects of nitrogen fertilization and *Pisolithus tinctorius* on *Quercus rubra* seedling root and top development. **30:124**
Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. I. Inoculation success and seedling growth relationships. **30:364**
Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. II. Foliar nutrient content and isolate effectiveness. **30:563**
inoculation techniques
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**
inoculum potential
Inoculum potential of ectomycorrhizal fungi in forest soils of southwest Oregon and northern California. **30:300**
inoculum production
Dynamics of aeciospore inoculum production by *Cronartium quercuum* f. sp. *fusiforme* on slash pine. **30:787**
insect attack

Attack on black walnut trees by the ambrosia beetle *Xylosandrus germanus* (Coleoptera: Scolytidae). **30:864**
insect defoliators
Shoot growth models for Douglas-fir and grand fir. **30:743**
insect suppression
A spruce budworm-forest model and its implications for suppression programs. **30:597**
insolation
Crown shadow area equations. **30:284**
instars
Sampling the western spruce budworm: fourth instars, pupae, and egg masses. **30:883**
intensive culture
Early intensive culture affects long-term growth of loblolly pine trees. **30:491**
intensive forest management
The nature and uses of the timber production function: *Eucalyptus grandis* in Brazil. **30:761**
interest rates
Impact of cost-share programs on private reforestation investment. **30:697**
internal rate of return
Internal rate of return may be used to define initial equity for composite rate-of-return analysis. **30:1096**
international trade
Econometric versus univariate and bivariate time-series forecasts: the case of softwood lumber imports. **30:194**
A market-share model to assess price competitiveness of softwood lumber exports to Caribbean markets. **30:928**
inventory
A new look at sampling with partial replacement. **30:157**
iron
Response of silver maple seedlings to an acute dose of root applied cadmium. **30:582**
isolate effectiveness
Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. II. Foliar nutrient content and isolate effectiveness. **30:563**
isozymes
Genetic structure in loblolly pine stands: allozyme variation in parents and progeny. **30:319**
jack pine (*see* ***Pinus banksiana***)
jackknife estimate
Alternative estimators for point-Poisson sampling. **30:803**
Juglans nigra
Attack on black walnut trees by the ambrosia beetle *Xylosandrus germanus* (Coleoptera: Scolytidae). **30:864**
Trends in genetic control of juvenile black walnut height growth. **30:821**
Laccaria proxima
Effects of fertilization on the growth and mycorrhizal development of container-grown jack pine seedlings. **30:828**
land cover mapping
Vegetation/land cover mapping of the Middle Fork of the Feather River watershed using Landsat digital data. **30:248**
Landsat digital data
Vegetation/land cover mapping of the Middle Fork of the Feather River watershed using Landsat digital data. **30:248**
landscape preference
Measurement of scenic beauty: the Law of Comparative Judgment and Scenic Beauty Estimation procedures. **30:1084**
Predicting scenic quality for urban forests using vegetation measurements. **30:71**
large-area modelling
Climate and the southern pine beetle in Atlantic Coastal and Piedmont regions. **30:143**
Larix laricina
Rooting of tamarack cuttings. **30:392**
larvae
Sampling the western spruce budworm: fourth instars, pupae, and egg masses. **30:883**
Law of Comparative Judgment
Measurement of scenic beauty: the Law of Comparative Judgment and Scenic Beauty Estimation procedures. **30:1084**
leaf area
Douglas-fir stem growth per unit of leaf area increased by interplanted Sitka alder and red alder. **30:259**
leaf area estimates
Variation in the surface area relationships of loblolly pine fascicles. **30:355**
leaf area growth
Root, shoot, and leaf area growth potentials of northern red oak planting stock. **30:1017**
leaf necrosis
Severity and frequency of SO_2-induced leaf necrosis on seedlings of 57 tree species. **30:587**
leaf temperature
Needle-air temperature differences of Douglas-fir seedlings and relation to microclimate. **30:635**
least squares estimation
Determining initial values for parameters of a Weibull model: a case study. **30:573**
Lepidoptera Tortricidae
A spruce budworm-forest model and its implications for suppression programs. **30:597**
Leucaena leucocephala
Evaluation of herbicides for use in transplanting *Leucaena leucocephala* and *Prosopis alba* on semi-arid lands without irrigation. **30:747**
Libocedrus decurrens
A general taper functional form to predict bole volume for five mixed-conifer species in California. **30:166**
linear regression
Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**
Liriodendron tulipifera
Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**
loblolly pine (*see* ***Pinus taeda***)
locust, black (*see* ***Robinia pseudoacacia***)
log volumes
Testing volume equation accuracy with water displacement techniques. **30:41**
logging
Gravel and grass surfacing reduces soil loss from mountain roads. **30:657**
logistic functions
Past tree spacing levels estimated by current stand conditions and past radial growth rates. **30:209**
logistic model
Height growth and site index curves for inland Douglas-fir based on stem analysis data and forest habitat type. **30:943**
longleaf pine (*see* ***Pinus palustris***)
lumber
Volume and value prediction for young-growth true fir trees. **30:871**
lumber exports
A market-share model to assess price competitiveness of softwood lumber exports to Caribbean markets. **30:928**
lumber import forecasts
Econometric versus univariate and bivariate time-series forecasts: the case of softwood lumber imports. **30:194**
lumber market

An econometric study of the U.S. hardwood lumber market. **30:1027**

Lymantria dispar

Identifying mixed-oak stand susceptibility to gypsy moth defoliation: an update. **30:270**

maple spp. (*see* ***Acer* spp.**)

maple, red (*see* ***Acer rubrum***)

maple, silver (*see* ***Acer saccharinum***)

mapping by color photography

Vegetation/land cover mapping of the Middle Fork of the Feather River watershed using Landsat digital data. **30:248**

market analysis

An econometric analysis of the market for pulpwood harvested in Michigan's Upper Peninsula. **30:107**

market-share model

A market-share model to assess price competitiveness of softwood lumber exports to Caribbean markets. **30:928**

market study

An econometric study of the U.S. hardwood lumber market. **30:1027**

marking xylem growth

The pinning method for marking xylem growth in hardwood species. **30:548**

mature trees

Importance of genotype on the potential for *in vitro* adventitious bud production of *Picea abies*. **30:314**

maximum tree size

Chapman-Richards growth function constrained for maximum tree size. **30:1066**

mean diameter

Exponential diameter distribution: interpretation of coefficients. **30:907**

measurement

A general procedure for sampling and analyzing wildland fire spread. **30:51**

mensuration

Compatible cubic volume and basal area projection equations for thinned old-field loblolly pine plantations. **30:86**

A general taper functional form to predict bole volume for five mixed-conifer species in California. **30:166**

mensurational formulas

Some mensurational formulas associated with balanced diameter distribution. **30:682**

merchantable basal area

An improved estimator for merchantable basal area growth based on point samples. **30:813**

mesquite (*see* ***Prosopis alba***)

metabolism

Growth and physiology of loblolly pine roots under various water table level and phosphorus treatments. **30:705**

metolachlor

Evaluation of herbicides for use in transplanting *Leucaena leucocephala* and *Prosopis alba* on semi-arid lands without irrigation. **30:747**

Michigan Upper Peninsula pulpwood

An econometric analysis of the market for pulpwood harvested in Michigan's Upper Peninsula. **30:107**

microclimate

Needle-air temperature differences of Douglas-fir seedlings and relation to microclimate. **30:635**

microclimatology

Crown shadow area equations. **30:284**

microwave treatment

Carbohydrate and nitrogen concentrations in leaves of three shrub species following microwave, autoclave, and air-drying treatments. **30:113**

mineral content

Subsampling trees for biomass, volume, or mineral content. **30:673**

mistletoe, dwarf (*see* ***Arceuthobium douglasii***)

mixed conifer forests

Taper equations for second-growth mixed conifers of northern California. **30:1103**

mixed-conifer species bole volume

A general taper functional form to predict bole volume for five mixed-conifer species in California. **30:166**

model

Establishing southern pine beetle hazard from aerial stand data and historical records. **30:375**

A model for basal area distribution in loblolly pine. **30:617**

Slash pine site index from a polymorphic model by joining (splining) nonpolynomial segments with an algebraic difference method. **30:411**

A timber harvesting model with variable rotation lengths. **30:511**

model-based sampling

Model-based sampling versus point-Poisson sampling on a timber sale in the Roosevelt National Forest in Colorado. **30:652**

model constraint

Chapman-Richards growth function constrained for maximum tree size. **30:1066**

model validation

Estimating the error in model predictions. **30:454**

A spruce budworm-forest model and its implications for suppression programs. **30:597**

modelling

Shoot growth models for Douglas-fir and grand fir. **30:743**

models

A comparison of competition measures and growth models for predicting plantation red pine diameter and height growth. **30:731**

Describing and testing nonlinear treatment effects in paired watershed experiments. **30:305**

moisture content

Relationship of environmental stress and *Cytospora chrysosperma* infection to spring dieback of poplar shoots. **30:645**

moment-based recovery

A simple algorithm for moment-based recovery of Weibull distribution parameters. **30:329**

Monte Carlo integration

Subsampling trees for biomass, volume, or mineral content. **30:673**

morphological characteristics

The reliability of selected morphological characteristics in identifying *Carya* × *lecontei* through controlled-pollination experiments. **30:475**

mortality

Past tree spacing levels estimated by current stand conditions and past radial growth rates. **30:209**

Root diseases cause severe mortality in white and grand fir stands of the Pacific Northwest. **30:138**

mortality sampling

Sampling and estimation of conifer mortality using large-scale color aerial photography. **30:333**

mountain roads

Gravel and grass surfacing reduces soil loss from mountain roads. **30:657**

multiphase designs

Estimation in multiphase designs for stratification. **30:484**

mycorrhizae

Evidence for ectomycorrhizal fungus-mediated nutrient transfer between *Pinus* and Tradescantia. **30:892**

Inoculum potential of ectomycorrhizal fungi in forest soils of southwest Oregon and northern California. **30:300**

mycorrhizal development

Effects of fertilization on the growth and mycorrhizal

development of container-grown jack pine seedlings. **30:828**
napropamide
Evaluation of herbicides for use in transplanting *Leucaena leucocephala* and *Prosopis alba* on semi-arid lands without irrigation. **30:747**
natural regeneration
Young stand development in coastal western hemlock as influenced by three harvesting regimes. **30:117**
necrosis
Severity and frequency of SO_2-induced leaf necrosis on seedlings of 57 tree species. **30:587**
needle-air temperature difference
Needle-air temperature differences of Douglas-fir seedlings and relation to microclimate. **30:635**
needle fascicle rooting response
Pre-severance environmental conditions influence rooting response of eastern white pine needle fascicles. **30:343**
needle surface area estimating
A rapid technique for estimating total surface area of pine needles. **30:913**
negative variance estimates
Alternative estimators for point-Poisson sampling. **30:803**
nematodes
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**
net primary production
Douglas-fir stem growth per unit of leaf area increased by interplanted Sitka alder and red alder. **30:259**
network design
Evaluating the adequacy of a fire-danger rating network. **30:1045**
Nigeria
The possibility of tree selection and breeding for genetic improvement of wood properties of *Gmelina arborea*. **30:275**
nitrogen
Prediction of mid-term from short-term fertilizer responses for southern pine plantations. **30:264**
nitrogen, total
Carbohydrate and nitrogen concentrations in leaves of three shrub species following microwave, autoclave, and air-drying treatments. **30:113**
nitrogen concentration
Development of *Pisolithus tinctorius* ectomycorrhizae on container-grown pine seedlings as affected by fertility. **30:1010**
nitrogen fertilization
Effects of nitrogen fertilization and *Pisolithus tinctorius* on *Quercus rubra* seedling root and top development. **30:124**
nitrogen fixation
Ecosystem effects of Sitka alder in a Douglas-fir plantation. **30:26**
Nitrogen fixation associated with increased wood decay in Douglas-fir residue. **30:1038**
Symbiotic nitrogen fixation in regenerating black locust (*Robinia pseudoacacia* L.) stands. **30:528**
nodule biomass
Symbiotic nitrogen fixation in regenerating black locust (*Robinia pseudoacacia* L.) stands. **30:528**
nonlinear growth model
Approximating the precision of the parameter estimates of a nonlinear model prior to sampling. **30:836**
nonlinear least squares
Determining initial values for parameters of a Weibull model: a case study. **30:573**
nonlinear regression
Height growth and site index curves for inland Douglas-fir based on stem analysis data and forest habitat type. **30:943**
nonlinear regressions
Nonlinear regressions and contour plots: techniques for selection and transfer of white ash provenances. **30:441**
nonlinear treatment effects
Describing and testing nonlinear treatment effects in paired watershed experiments. **30:305**
nonmarket goods
Measurement of scenic beauty: the Law of Comparative Judgment and Scenic Beauty Estimation procedures. **30:1084**
northern red oak (*see* ***Quercus rubra***)
nursery cultural practices
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**
nursery ectomycorrhizal tests
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**
nutrient content
Biomass and nutrient content of a 41-year-old loblolly pine (*Pinus taeda* L.) plantation on a poor site in South Carolina. **30:395**
Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. II. Foliar nutrient content and isolate effectiveness. **30:563**
nutrient cycling
Ecosystem effects of Sitka alder in a Douglas-fir plantation. **30:26**
The effect of a prescribed burn in southwestern ponderosa pine on organic matter and nutrients in woody debris and forest floor. **30:183**
nutrient requirements
Growth and nutrient requirements in a teak plantation age series in Nigeria. II. Nutrient accumulation and minimum annual requirements. **30:35**
nutrient solution affects ectomycorrhizal development
Development of *Pisolithus tinctorius* ectomycorrhizae on container-grown pine seedlings as affected by fertility. **30:1010**
nutrient transfer
Evidence for ectomycorrhizal fungus-mediated nutrient transfer between *Pinus* and Tradescantia. **30:892**
nutrition
Fertilization increases cone production in a 55-year-old ponderosa pine stand in central Arizona. **30:1079**
Growth and physiology of loblolly pine roots under various water table level and phosphorus treatments. **30:705**
Nyssa sylvatica
Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**
oak, black (*see* ***Quercus velutina***)
oak, English (*see* ***Quercus robur***)
oak, northern red (*see* ***Quercus rubra***)
oak, red (*see* ***Quercus rubra***)
oak, white (*see* ***Quercus alba***)
oak forest understory
Development of the red maple understory in northeastern oak forests. **30:3**
oak stands
Identifying mixed-oak stand susceptibility to gypsy moth defoliation: an update. **30:270**
Odocoileus virginianus
Daminozide and ethephon effects on growth of red maple and white pine on cleared sites. **30:291**
optimal interpolation
Evaluating the adequacy of a fire-danger rating network. **30:1045**

optimal thinning
A variational solution technique for determining optimal thinning and rotational schedules. **30:793**
optimal thinning strategies
Implementing optimal thinning strategies. **30:82**
optimal timber management scheduling
A simulation approach for optimal timber management scheduling. **30:220**
optimum stocking levels
Optimal stocking levels and rotation under uncertainty. **30:921**
option-pricing
Valuation of certain long-term timber cutting contracts. **30:774**
organic matter
The effect of a prescribed burn in southwestern ponderosa pine on organic matter and nutrients in woody debris and forest floor. **30:183**
oryzalin
Evaluation of herbicides for use in transplanting *Leucaena leucocephala* and *Prosopis alba* on semi-arid lands without irrigation. **30:747**
osmotic potential
Seasonal changes of tissue-water relations in shoots and root systems of Douglas-fir seedlings. **30:538**
oxyfluorfen
Evaluation of herbicides for use in transplanting *Leucaena leucocephala* and *Prosopis alba* on semi-arid lands without irrigation. **30:747**
paired watershed experiments
Describing and testing nonlinear treatment effects in paired watershed experiments. **30:305**
Parameter Distribution Model
A model for basal area distribution in loblolly pine. 30:617
parameter estimate precision
Approximating the precision of the parameter estimates of a nonlinear model prior to sampling. **30:836**
partial replacement sampling
A new look at sampling with partial replacement. **30:157**
particleboard
Economic impacts of structural particleboard research. **30:685**
pecan, bitter (*see* ***Carya illinoensis***)
Pennsylvania hardwood species
Principal components analysis of total tree form in seven central Pennsylvania hardwood species. **30:64**
pesticides
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **31:Monogr. 25**
Phellinus weirii
Root diseases cause severe mortality in white and grand fir stands of the Pacific Northwest. **30:138**
phenology
Shoot growth models for Douglas-fir and grand fir. **30:743**
phosphorus
Prediction of mid-term from short-term fertilizer responses for southern pine plantations. **30:264**
phosphorus concentration
Development of *Pisolithus tinctorius* ectomycorrhizae on container-grown pine seedlings as affected by fertility. **30:1010**
phosphorus treatment
Growth and physiology of loblolly pine roots under various water table level and phosphorus treatments. **30:705**
photographic stem analysis
A photographic technique for use with stem analysis. **30:715**
photosynthate allocation
Douglas-fir stem growth per unit of leaf area increased by interplanted Sitka alder and red alder. **30:259**
physiology
Growth and physiology of loblolly pine roots under various water table level and phosphorus treatments. **30:705**
Picea abies
Importance of genotype on the potential for *in vitro* adventitious bud production of *Picea abies*. **30:314**
pine, eastern white (*see* ***Pinus strobus***)
pine, jack (*see* ***Pinus banksiana***)
pine, loblolly (*see* ***Pinus taeda***)
pine, longleaf (*see* ***Pinus palustris***)
pine, ponderosa (*see* ***Pinus ponderosa***)
pine, red (*see* ***Pinus resinosa***)
pine, slash (*see* ***Pinus elliottii***)
pine, sugar (*see* ***Pinus lambertiana***)
pine, white (*see* ***Pinus strobus***)
pine beetle hazard determination
Establishing southern pine beetle hazard from aerial stand data and historical records. **30:375**
pine beetle/host relationships
Climate and the southern pine beetle in Atlantic Coastal and Piedmont regions. **30:143**
pine needle surface area estimating
A rapid technique for estimating total surface area of pine needles. **30:913**
pine plantation
A comparison of competition measures and growth models for predicting plantation red pine diameter and height growth. **30:731**
pine seedling indices
Calculated nondestructive indices of growth response for young pine seedlings. **30:469**
pine seedlings
Development of *Pisolithus tinctorius* ectomycorrhizae on pine seedlings using basidiospore-encapsulated seeds. **30:697**
pinning method
The pinning method for marking xylem growth in hardwood species. **30:548**
***Pinus* spp.**
Calculated nondestructive indices of growth response for young pine seedlings. **30:469**
A rapid technique for estimating total surface area of pine needles. **30:913**
Pinus banksiana
Effects of fertilization on the growth and mycorrhizal development of container-grown jack pine seedlings. **30:828**
Pinus clausa* var. *immuginata
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**
Pinus echinata
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**
Pinus elliottii
An analysis and models of basal area growth in 45-year-old unthinned and thinned slash pine plantation plots. **30:933**
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**
The effect of planting density on dominant height in unthinned slash pine plantations. **30:1059**
Slash pine site index from a polymorphic model by joining (splining) nonpolynomial segments with an algebraic difference method. **30:411**
Pinus elliottii* var. *elliottii

Dynamics of aeciospore inoculum production by *Cronartium quercuum* f. sp. *fusiforme* on slash pine. **30:787**

Pinus lambertiana

A general taper functional form to predict bole volume for five mixed-conifer species in California. **30:166**

Pinus nigra

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**

Pinus palustris

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**

Evidence for ectomycorrhizal fungus-mediated nutrient transfer between *Pinus* and Tradescantia. **30:892**

Pinus ponderosa

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**

Dendrochronology of a fire-scarred ponderosa pine. **30:238**

The effect of a prescribed burn in southwestern ponderosa pine on organic matter and nutrients in woody debris and forest floor. **30:183**

Effect of a prescribed fire on herbage production in southwestern ponderosa pine on sedimentary soils. **30:22**

Fertilization increases cone production in a 55-year-old ponderosa pine stand in central Arizona. **30:1079**

A general taper functional form to predict bole volume for five mixed-conifer species in California. **30:166**

Implementing optimal thinning strategies. **30:82**

Inoculum potential of ectomycorrhizal fungi in forest soils of southwest Oregon and northern California. **30:300**

Past tree spacing levels estimated by current stand conditions and past radial growth rates. **30:209**

Pinus resinosa

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**

A comparison of competition measures and growth models for predicting plantation red pine diameter and height growth. **30:731**

Pinus strobus

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**

Daminozide and ethephon effects on growth of red maple and white pine on cleared sites. **30:291**

Pre-severance environmental conditions influence rooting response of eastern white pine needle fascicles. **30:343**

Pinus taeda

Biomass and nutrient content of a 41-year-old loblolly pine (*Pinus taeda* L.) plantation on a poor site in South Carolina. **30:395**

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**

Compatible cubic volume and basal area projection equations for thinned old-field loblolly pine plantations. **30:86**

Development of *Pisolithus tinctorius* ectomycorrhizae on container-grown pine seedlings as affected by fertility. **30:1010**

Development of *Pisolithus tinctorius* ectomycorrhizae on pine seedlings using basidiospore-encapsulated seeds. **30:897**

Early intensive culture affects long-term growth of loblolly pine trees. **30:491**

Genetic structure in loblolly pine stands: allozyme variation in parents and progeny. **30:319**

Growth and physiology of loblolly pine roots under various water table level and phosphorus treatments. **30:705**

A model for basal area distribution in loblolly pine. **30:617**

A segmented distribution approach for modeling diameter frequency data. **30:129**

Techniques for distinguishing the sapwood-heartwood boundary in living loblolly pine (*Pinus taeda* L.). **30:756**

Variation in the surface area relationships of loblolly pine fascicles. **30:355**

Pinus virginiana

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**

Pisolithus tinctorius

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**

Development of *Pisolithus tinctorius* ectomycorrhizae on container-grown pine seedlings as affected by fertility. **30:1010**

Development of *Pisolithus tinctorius* ectomycorrhizae on pine seedlings using basidiospore-encapsulated seeds. **30:897**

Effects of fertilization on the growth and mycorrhizal development of container-grown jack pine seedlings. **30:828**

Effects of nitrogen fertilization and *Pisolithus tinctorius* on *Quercus rubra* seedling root and top development. **30:124**

Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. I. Inoculation success and seedling growth relationships. **30:364**

Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. II. Foliar nutrient content and isolate effectiveness. **30:563**

pitch canker

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**

plant sample preparation

Carbohydrate and nitrogen concentrations in leaves of three shrub species following microwave, autoclave, and air-drying treatments. **30:113**

plant water stress

Effects of cold soil on water relations and spring growth of Douglas-fir seedlings. **30:628**

plantation

Biomass accumulation by single- and multiple-stemmed young sycamore. **30:372**

Biomass and nutrient content of a 41-year-old loblolly pine (*Pinus taeda* L.) plantation on a poor site in South Carolina. **30:395**

plantation biomass

Biomass accumulation by single- and multiple-stemmed young sycamore. **30:372**

plantation plot growth

An analysis and models of basal area growth in 45-year-old unthinned and thinned slash pine plantation plots. **30:933**

plantation red pine
A comparison of competition measures and growth models for predicting plantation red pine diameter and height growth. **30:731**
plantation teak growth requirements
Growth and nutrient requirements in a teak plantation age series in Nigeria. II. Nutrient accumulation and minimum annual requirements. **30:35**
plantation volume projections
Compatible cubic volume and basal area projection equations for thinned old-field loblolly pine plantations. **30:86**
planting density effect
The effect of planting density on dominant height in unthinned slash pine plantations. **30:1059**
planting stock
Root, shoot, and leaf area growth potentials of northern red oak planting stock. **30:1017**
Platanus occidentalis
Biomass accumulation by single- and multiple-stemmed young sycamore. **30:372**
point density
Past tree spacing levels estimated by current stand conditions and past radial growth rates. **30:209**
point-Poisson sampling
Alternative estimators for point-Poisson sampling. **30:803**
Model-based sampling versus point-Poisson sampling on a timber sale in the Roosevelt National Forest in Colorado. **30:652**
point samples
An improved estimator for merchantable basal area growth based on point samples. **30:813**
pollination, controlled
The reliability of selected morphological characteristics in identifying *Carya* × *lecontei* through controlled-pollination experiments. **30:475**
pollutant injury
Severity and frequency of SO_2-induced leaf necrosis on seedlings of 57 tree species. **30:587**
polymorphic model
Slash pine site index from a polymorphic model by joining (splining) nonpolynomial segments with an algebraic difference method. **30:411**
polynomial growth function
The nature and uses of the timber production function: *Eucalyptus grandis* in Brazil. **30:761**
ponderosa pine (*see* ***Pinus ponderosa***)
population subdivision
Genetic structure in loblolly pine stands: allozyme variation in parents and progeny. **30:319**
***Populus* spp.**
Relationship of environmental stress and *Cytospora chrysosperma* infection to spring dieback of poplar shoots. **30:645**
Populus euramericana
The pinning method for marking xylem growth in hardwood species. **30:548**
Populus grandidentata
Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**
***Populus* hybrids**
Response of *Populus* hybrids to aluminum toxicity. **30:404**
***Populus* shoots**
Carbohydrate distribution in dormant *Populus* shoots and hardwood cuttings. **30:999**
preculturing
Importance of genotype on the potential for *in vitro* adventitious bud production of *Picea abies*. **30:314**
predicting fertilizer responses
Prediction of mid-term from short-term fertilizer responses for southern pine plantations. **30:264**
prediction equations
Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**
prediction interval
Estimating the error in model predictions. **30:454**
prescribed burning
The effect of a prescribed burn in southwestern ponderosa pine on organic matter and nutrients in woody debris and forest floor. **30:183**
A general procedure for sampling and analyzing wildland fire spread. **30:51**
prescribed fire
Effect of a prescribed fire on herbage production in southwestern ponderosa pine on sedimentary soils. **30:22**
pressure volume curves
Seasonal changes of tissue-water relations in shoots and root systems of Douglas-fir seedlings. **30:538**
price
An econometric study of the U.S. hardwood lumber market. **30:1027**
price competitiveness
A market-share model to assess price competitiveness of softwood lumber exports to Caribbean markets. **30:928**
principal component analysis
Climate and the southern pine beetle in Atlantic Coastal and Piedmont regions. **30:143**
private reforestation investment
Impact of cost-share programs on private reforestation investment. **30:697**
probabilistic dynamic programming
Optimal stocking levels and rotation under uncertainty. **30:921**
production function
The nature and uses of the timber production function: *Eucalyptus grandis* in Brazil. **30:761**
propagation
Pre-severance environmental conditions influence rooting response of eastern white pine needle fascicles. **30:343**
Prosopis alba
Evaluation of herbicides for use in transplanting *Leucaena leucocephala* and *Prosopis alba* on semi-arid lands without irrigation. **30:747**
provenance analysis
Nonlinear regressions and contour plots: techniques for selection and transfer of white ash provenances. **30:441**
Prunus serotina
Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**
Pseudotsuga menziesii
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**
Comparative susceptibility of corkbark fir and Douglas-fir to Douglas-fir dwarf mistletoe. **30:842**
Douglas-fir stem growth per unit of leaf area increased by interplanted Sitka alder and red alder. **30:259**
Ecosystem effects of Sitka alder in a Douglas-fir plantation. **30:26**
Effects of cold soil on water relations and spring growth of Douglas-fir seedlings. **30:628**
A general taper functional form to predict bole volume for five mixed-conifer species in California. **30:166**
Height growth and site index curves for inland Douglas-fir based on stem analysis data and forest habitat type. **30:943**
Implementing optimal thinning strategies. **30:82**
Inoculum potential of ectomycorrhizal fungi in for-

est soils of southwest Oregon and northern California. **30:300**

Localizing a diameter increment model with a sequential Bayesian procedure. **30:851**

Needle-air temperature differences of Douglas-fir seedlings and relation to microclimate. **30:635**

Nitrogen fixation associated with increased wood decay in Douglas-fir residue. **30:1038**

Sampling the western spruce budworm: fourth instars, pupae, and egg masses. **30:883**

Seasonal changes of tissue-water relations in shoots and root systems of Douglas-fir seedlings. **30:538**

Shoot growth models for Douglas-fir and grand fir. **30:743**

psychophysics

Measurement of scenic beauty: the Law of Comparative Judgment and Scenic Beauty Estimation procedures. **30:1084**

pulpwood market analysis

An econometric analysis of the market for pulpwood harvested in Michigan's Upper Peninsula. **30:107**

pupae

Sampling the western spruce budworm: fourth instars, pupae, and egg masses. **30:883**

purposive sampling

Model-based sampling versus point-Poisson sampling on a timber sale in the Roosevelt National Forest in Colorado. **30:652**

Purshia tridentata

Carbohydrate and nitrogen concentrations in leaves of three shrub species following microwave, autoclave, and air-drying treatments. **30:113**

pyrodendrochronology

Dendrochronology of a fire-scarred ponderosa pine. **30:238**

***Pythium* spp.**

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**

quadratic comparison

Determining initial values for parameters of a Weibull model: a case study. **30:573**

***Quercus* spp.**

Identifying mixed-oak stand susceptibility to gypsy moth defoliation: an update. **30:270**

Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. II. Foliar nutrient content and isolate effectiveness. **30:563**

Principal components analysis of total tree form in seven central Pennsylvania hardwood species. **30:64**

Quercus alba

Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**

The determination of percentages of living tissue in woody fine root samples using triphenyltetrazolium chloride. **30:965**

Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. I. Inoculation success and seedling growth relationships. **30:364**

Quercus bicolor

Tree growth responses to flooding in a bottomland forest in northeastern Illinois. **30:499**

Quercus robur

Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. I. Inoculation success and seedling growth relationships. **30:364**

Quercus rubra

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30: Monogr. 25**

Development of the red maple understory in northeastern oak forests. **30:3**

Effects of nitrogen fertilization and *Pisolithus tinctorius* on *Quercus rubra* seedling root and top development. **30:124**

Root, shoot, and leaf area growth potentials of northern red oak planting stock. **30:1017**

Quercus velutina

Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**

Compatible stem taper and volume ratio equations. **30:977**

Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. I. Inoculation success and seedling growth relationships. **30:364**

radial growth

A photographic technique for use with stem analysis. **30:715**

radial growth rates

Past tree spacing levels estimated by current stand conditions and past radial growth rates. **30:209**

Raj estimator

Alternative estimators for point-Poisson sampling. **30:803**

random sampling

An improved estimator for merchantable basal area growth based on point samples. **30:813**

randomized branch sampling

Subsampling trees for biomass, volume, or mineral content. **30:673**

rate-of-return analyses

Internal rate of return may be used to define initial equity for composite rate-of-return analysis. **30:1096**

recursive models

A comparison of approaches for predicting multiple-product yields from weight-scaling data. **30:991**

red alder (*see* ***Alnus rubra***)

red maple (*see* ***Acer rubrum***)

red oak (*see* ***Quercus rubra***)

red oak, northern (*see* ***Quercus rubra***)

red pine (*see* ***Pinus resinosa***)

reforestation

Needle-air temperature differences of Douglas-fir seedlings and relation to microclimate. **30:635**

reforestation investment

Impact of cost-share programs on private reforestation investment. **30:697**

regeneration

Symbiotic nitrogen fixation in regenerating black locust (*Robinia pseudoacacia* L.) stands. **30:528**

regression

The determination of percentages of living tissue in woody fine root samples using triphenyltetrazolium chloride. **30:965**

Height growth and site index curves for inland Douglas-fir based on stem analysis data and forest habitat type. **30:943**

regression analysis

A comparison of approaches for predicting multiple-product yields from weight-scaling data. **30:991**

Compatible cubic volume and basal area projection equations for thinned old-field loblolly pine plantations. **30:86**

reinvestment rates

Internal rate of return may be used to define initial equity for composite rate-of-return analysis. **30:1096**

relative density

Implementing optimal thinning strategies. **30:82**

research evaluation

Economic impacts of structural particleboard research. **30:685**

residue nitrogen

Nitrogen fixation associated with increased wood decay in Douglas-fir residue. **30:1038**

response surfaces

Nonlinear regressions and contour plots: techniques

for selection and transfer of white ash provenances. **30:441**

Richards function

Height growth and site index curves for inland Douglas-fir based on stem analysis data and forest habitat type. **30:943**

risk

Optimal stocking levels and rotation under uncertainty. **30:921**

road surfacing

Gravel and grass surfacing reduces soil loss from mountain roads. **30:657**

Robinia pseudoacacia

Symbiotic nitrogen fixation in regenerating black locust (*Robinia pseudoacacia* L.) stands. **30:528**

root development

Growth and physiology of loblolly pine roots under various water table level and phosphorus treatments. **30:705**

root disease

Root diseases cause severe mortality in white and grand fir stands of the Pacific Northwest. **30:138**

root growth

Effects of fertilization on the growth and mycorrhizal development of container-grown jack pine seedlings. **30:828**

root mortality

The determination of percentages of living tissue in woody fine root samples using triphenyltetrazolium chloride. **30:965**

root permeability

Effects of cold soil on water relations and spring growth of Douglas-fir seedlings. **30:628**

root generation

Root, shoot, and leaf area growth potentials of northern red oak planting stock. **30:1017**

root system water properties

Seasonal changes of tissue-water relations in shoots and root systems of Douglas-fir seedlings. **30:538**

root turnover

The determination of percentages of living tissue in woody fine root samples using triphenyltetrazolium chloride. **30:965**

rooting

Rooting of tamarack cuttings. **30:392**

rooting response

Pre-severance environmental conditions influence rooting response of eastern white pine needle fascicles. **30:343**

rotation, variable lengths

A timber harvesting model with variable rotation lengths. **30:511**

rotation sampling

A new look at sampling with partial replacement. **30:157**

rotation schedules

A variational solution technique for determining optimal thinning and rotational schedules. **30:793**

rotation under uncertainty

Optimal stocking levels and rotation under uncertainty. **30:921**

rust, fusiform (*see* ***Cronartium quercuum* f. sp. *fusiforme***)

samaras

Flight characteristics and dispersal potential of maple samaras. **30:434**

sampling

Alternative estimators for point-Poisson sampling. **30:803**

Model-based sampling versus point-Poisson sampling on a timber sale in the Roosevelt National Forest in Colorado. **30:652**

A new look at sampling with partial replacement. **30:157**

Subsampling trees for biomass, volume, or mineral content. **30:673**

Variation in the surface area relationships of loblolly pine fascicles. **30:355**

sampling fire spread

A general procedure for sampling and analyzing wildland fire spread. **30:51**

sampling for growth

Approximating the precision of the parameter estimates of a nonlinear model prior to sampling. **30:836**

sampling mortality

Sampling and estimation of conifer mortality using large-scale color aerial photography. **30:333**

sampling phases

Estimation in multiphase designs for stratification. **30:484**

sampling spruce budworm

Sampling the western spruce budworm: fourth instars, pupae, and egg masses. **30:883**

sanitation

Dynamics of aeciospore inoculum production by *Cronartium quercuum* f. sp. *fusiforme* on slash pine. **30:787**

sapwood

Techniques for distinguishing the sapwood-heartwood boundary in living loblolly pine (*Pinus taeda* L.). **30:756**

sapwood-heartwood boundary

Techniques for distinguishing the sapwood-heartwood boundary in living loblolly pine (*Pinus taeda* L.). **30:756**

Sassafras albidum

Biomass prediction equations for seedlings, sprouts, and saplings of ten central hardwood species. **30:523**

scaling

A comparison of approaches for predicting multiple-product yields from weight-scaling data. **30:991**

scenic beauty measurements

Measurement of scenic beauty: the Law of Comparative Judgment and Scenic Beauty Estimation procedures. **30:1084**

scenic quality

Predicting scenic quality for urban forests using vegetation measurements. **30:71**

scheduling models

Solving and interpreting large-scale harvest scheduling problems by duality and decomposition. **30:173**

Schumacher's volume equation

Compatible stem taper and volume ratio equations. **30:977**

second-growth mixed conifers

Taper equations for second-growth mixed conifers of northern California. **30:1103**

secondary wall initiation

The pinning method for marking xylem growth in hardwood species. **30:548**

sedimentary soils

Effect of a prescribed fire on herbage production in southwestern ponderosa pine on sedimentary soils. **30:22**

seed development

Development of *Pisolithus tinctorius* ectomycorrhizae on pine seedlings using basidiospore-encapsulated seeds. **30:897**

seed dispersal

Flight characteristics and dispersal potential of maple samaras. **30:434**

seed production

Fertilization increases cone production in a 55-year-old ponderosa pine stand in central Arizona. **30:1079**

seedling cadmium response

Response of silver maple seedlings to an acute dose of root applied cadmium. **30:582**

seedling development
Effects of nitrogen fertilization and *Pisolithus tinctorius* on *Quercus rubra* seedling root and top development. **30:124**
seedling dieback
Biomass accumulation by single- and multiple-stemmed young sycamore. **30:372**
seedling growth
Effects of cold soil on water relations and spring growth of Douglas-fir seedlings. **30:628**
seedling growth
Root, shoot, and leaf area growth potentials of northern red oak planting stock. **30:1017**
seedling growth relationships
Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. I. Inoculation success and seedling growth relationships. **30:364**
seedling inoculation
Effects of fertilization on the growth and mycorrhizal development of container-grown jack pine seedlings. **30:828**
seedling necrosis
Severity and frequency of SO_2-induced leaf necrosis on seedlings of 57 tree species. **30:587**
seedling nondestructive indices
Calculated nondestructive indices of growth response for young pine seedlings. **30:469**
seedling quality
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**
seedling shade
Crown shadow area equations. **30:284**
segmented distribution approach
A segmented distribution approach for modeling diameter frequency data. **30:129**
selection
Trends in genetic control of juvenile black walnut height growth. **30:821**
semi-arid land
Evaluation of herbicides for use in transplanting *Leucaena leucocephala* and *Prosopis alba* on semi-arid lands without irrigation. **30:747**
sequential Bayesian procedure
Localizing a diameter increment model with a sequential Bayesian procedure. **30:851**
sequential estimation
Localizing a diameter increment model with a sequential Bayesian procedure. **30:851**
shading seedlings
Crown shadow area equations. **30:284**
shelterwood
Young stand development in coastal western hemlock as influenced by three harvesting regimes. **30:117**
shoot and root growth
Effects of cold soil on water relations and spring growth of Douglas-fir seedlings. **30:628**
shoot elongation
Root, shoot, and leaf area growth potentials of northern red oak planting stock. **30:1017**
shoot growth
Effects of fertilization on the growth and mycorrhizal development of container-grown jack pine seedlings. **30:828**
shoot growth models
Shoot growth models for Douglas-fir and grand fir. **30:743**
shoot system water properties
Seasonal changes of tissue-water relations in shoots and root systems of Douglas-fir seedlings. **30:538**
silver maple (*see* ***Acer saccharinum***)
silviculture
Describing and testing nonlinear treatment effects in paired watershed experiments. **30:305**
Implementing optimal thinning strategies. **30:82**
simulation approach
A simulation approach for optimal timber management scheduling. **30:220**
simulation model
Estimating the error in model predictions. **30:454**
simulation modelling
A spruce budworm-forest model and its implications for suppression programs. **30:597**
simultaneous equations
A comparison of approaches for predicting multiple-product yields from weight-scaling data. **30:991**
simultaneous estimation
Compatible cubic volume and basal area projection equations for thinned old-field loblolly pine plantations. **30:86**
Compatible stem taper and volume ratio equations. **30:977**
site
Biomass and nutrient content of a 41-year-old loblolly pine (*Pinus taeda* L.) plantation on a poor site in South Carolina. **30:395**
site and stand conditions
Prediction of mid-term from short-term fertilizer responses for southern pine plantations. **30:264**
site index
Slash pine site index from a polymorphic model by joining (splining) nonpolynomial segments with an algebraic difference method. **30:411**
site index curves
Height growth and site index curves for inland Douglas-fir based on stem analysis data and forest habitat type. **30:943**
site quality
The effect of planting density on dominant height in unthinned slash pine plantations. **30:1059**
Sitka alder (*see* ***Alnus sinuata***)
size preference
Attack on black walnut trees by the ambrosia beetle *Xylosandrus germanus* (Coleoptera: Scolytidae). **30:864**
slash pine (*see* ***Pinus elliottii***)
softwood lumber exports
A market-share model to assess price competitiveness of softwood lumber exports to Caribbean markets. **30:928**
softwood lumber import forecasts
Econometric versus univariate and bivariate time-series forecasts: the case of softwood lumber imports. **30:194**
soil loss
Gravel and grass surfacing reduces soil loss from mountain roads. **30:657**
South Africa
The effect of planting density on dominant height in unthinned slash pine plantations. **30:1059**
southern pine beetle (*see* ***Dendroctonus frontalis***)
southern pine beetle hazard
Establishing southern pine beetle hazard from aerial stand data and historical records. **30:375**
southern pine plantations
Prediction of mid-term from short-term fertilizer responses for southern pine plantations. **30:264**
spacing levels
Past tree spacing levels estimated by current stand conditions and past radial growth rates. **30:209**
spatial equilibrium
An econometric analysis of the market for pulpwood harvested in Michigan's Upper Peninsula. **30:107**
Sphaerosporella brunnea
Effects of fertilization on the growth and mycorrhizal

development of container-grown jack pine seedlings. **30:828**
spiderwort (*see* ***Tradescantia hirsuitiflora***)
spiderwort symbioses
Evidence for ectomycorrhizal fungus-mediated nutrient transfer between *Pinus* and Tradescantia. **30:892**
splining nonpolynomial segments
Slash pine site index from a polymorphic model by joining (splining) nonpolynomial segments with an algebraic difference method. **30:411**
spring growth
Effects of cold soil on water relations and spring growth of Douglas-fir seedlings. **30:628**
spruce budworm (*see* ***Choristoneura fumiferana***)
spruce budworm, western (*see* ***Choristoneura occidentalis***)
spruce budworm-forest model
A spruce budworm-forest model and its implications for suppression programs. **30:597**
stand conditions
Past tree spacing levels estimated by current stand conditions and past radial growth rates. **30:209**
stand data
Establishing southern pine beetle hazard from aerial stand data and historical records. **30:375**
stand differentiation
Young stand development in coastal western hemlock as influenced by three harvesting regimes. **30:117**
stand-level model
A segmented distribution approach for modeling diameter frequency data. **30:129**
stand simulator
Estimating the error in model predictions. **30:454**
starch content in cuttings
Carbohydrate distribution in dormant *Populus* shoots and hardwood cuttings. **30:999**
stem analysis
Height growth and site index curves for inland Douglas-fir based on stem analysis data and forest habitat type. **30:943**
A photographic technique for use with stem analysis. **30:715**
Taper equations for second-growth mixed conifers of northern California. **30:1103**
stem growth
Douglas-fir stem growth per unit of leaf area increased by interplanted Sitka alder and red alder. **30:259**
stem profile
A general taper functional form to predict bole volume for five mixed-conifer species in California. **30:166**
stem taper equation
Compatible stem taper and volume ratio equations. **30:977**
stochastic modeling
A model for basal area distribution in loblolly pine. **30:617**
stocking levels
Optimal stocking levels and rotation under uncertainty. **30:921**
stormflow
Describing and testing nonlinear treatment effects in paired watershed experiments. **30:305**
Forests, floods, and erosion: a watershed experiment in the southeastern Piedmont. **30:424**
stratification
Estimation in multiphase designs for stratification. **30:484**
structural particleboard research
Economic impacts of structural particleboard research. **30:685**
structure function
Evaluating the adequacy of a fire-danger rating network. **30:1045**
stumpage prices
Impact of cost-share programs on private reforestation investment. **30:697**
succession
Symbiotic nitrogen fixation in regenerating black locust (*Robinia pseudoacacia* L.) stands. **30:528**
successive sampling
A new look at sampling with partial replacement. **30:157**
sugar content in cuttings
Carbohydrate distribution in dormant *Populus* shoots and hardwood cuttings. **30:999**
sugar pine (*see* ***Pinus lambertiana***)
Suillus granulatus
Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. I. Inoculation success and seedling growth relationships. **30:364**
Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. II. Foliar nutrient content and isolate effectiveness. **30:563**
Suillus luteus
Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. I. Inoculation success and seedling growth relationships. **30:364**
Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. II. Foliar nutrient content and isolate effectiveness. **30:563**
sulfur dioxide injury
Severity and frequency of SO_2-induced leaf necrosis on seedlings of 57 tree species. **30:587**
supply
An econometric study of the U.S. hardwood lumber market. **30:1027**
suppression programs
A spruce budworm-forest model and its implications for suppression programs. **30:597**
surface area estimating
A rapid technique for estimating total surface area of pine needles. **30:913**
surface fire frequency
Occurrence of fire scars in relation to the season and frequency of surface fires in eucalyptus forests of the Northern Territory, Australia. **30:970**
survival
Nonlinear regressions and contour plots: techniques for selection and transfer of white ash provenances. **30:441**
survival function
An analysis and models of basal area growth in 45-year-old unthinned and thinned slash pine plantation plots. **30:933**
susceptibility
Attack on black walnut trees by the ambrosia beetle *Xylosandrus germanus* (Coleoptera: Scolytidae). **30:864**
sycamore (*see* ***Platanus occidentalis***)
symbiotic nitrogen fixation
Symbiotic nitrogen fixation in regenerating black locust (*Robinia pseudoacacia* L.) stands. **30:528**
tamarack cuttings
Rooting of tamarack cuttings. **30:392**
taper curve
Compatible stem taper and volume ratio equations. **30:977**
taper equations
Taper equations for second-growth mixed conifers of northern California. **30:1103**
taper functional form
A general taper functional form to predict bole volume for five mixed-conifer species in California. **30:166**
taper functions
Testing volume equation accuracy with water displacement techniques. **30:41**
teak plantation
Growth and nutrient requirements in a teak plan-

tation age series in Nigeria. II. Nutrient accumulation and minimum annual requirements. **30:35**

technical change

Economic impacts of structural particleboard research. **30:685**

Tectona grandis

Growth and nutrient requirements in a teak plantation age series in Nigeria. II. Nutrient accumulation and minimum annual requirements. **30:35**

Thelephora terrestris

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**

Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. I. Inoculation success and seedling growth relationships. **30:364**

Inoculation of three *Quercus* species with eleven isolates of ectomycorrhizal fungi. II. Foliar nutrient content and isolate effectiveness. **30:563**

thinning

A segmented distribution approach for modeling diameter frequency data. **30:129**

thinned plantation plots

An analysis and models of basal area growth in 45-year-old unthinned and thinned slash pine plantation plots. **30:933**

thinning response

An analysis and models of basal area growth in 45-year-old unthinned and thinned slash pine plantation plots. **30:933**

thinning strategies

Implementing optimal thinning strategies. **30:82**

3-P sampling

Alternative estimators for point-Poisson sampling. **30:803**

Model-based sampling versus point-Poisson sampling on a timber sale in the Roosevelt National Forest in Colorado. **30:652**

timber cutting contracts

Valuation of certain long-term timber cutting contracts. **30:774**

timber harvesting model

A timber harvesting model with variable rotation lengths. **30:511**

timber harvest scheduling

Solving and interpreting large-scale harvest scheduling problems by duality and decomposition. **30:173**

A variational solution technique for determining optimal thinning and rotational schedules. **30:793**

timber management scheduling

A simulation approach for optimal timber management scheduling. **30:220**

timber production function

The nature and uses of the timber production function: *Eucalyptus grandis* in Brazil. **30:761**

time-series analysis

Econometric versus univariate and bivariate time-series forecasts: the case of softwood lumber imports. **30:194**

tissue elasticity

Seasonal changes of tissue-water relations in shoots and root systems of Douglas-fir seedlings. **30:538**

tissue-water relations

Seasonal changes of tissue-water relations in shoots and root systems of Douglas-fir seedlings. **30:538**

tolerance interval

Estimating the error in model predictions. **30:454**

tolerance to sulfur dioxide

Severity and frequency of SO_2-induced leaf necrosis on seedlings of 57 tree species. **30:587**

toxicity

Response of *Populus* hybrids to aluminum toxicity. **30:404**

Tradescantia hirsutiflora

Evidence for ectomycorrhizal fungus-mediated nutrient transfer between *Pinus* and Tradescantia. **30:892**

traditional fuels

Fuelwood consumption: a cross-country comparison. **30:383**

transpiration

Effects of cold soil on water relations and spring growth of Douglas-fir seedlings. **30:628**

tree basal area

Model-based sampling versus point-Poisson sampling on a timber sale in the Roosevelt National Forest in Colorado. **30:652**

tree breeding

The possibility of tree selection and breeding for genetic improvement of wood properties of *Gmelina arborea*. **30:275**

tree crowns

Crown shadow area equations. **30:284**

tree form

A general taper functional form to predict bole volume for five mixed-conifer species in California. **30:166**

Principal components analysis of total tree form in seven central Pennsylvania hardwood species. **30:64**

tree polygon

Past tree spacing levels estimated by current stand conditions and past radial growth rates. **30:209**

tree number

Exponential diameter distribution: interpretation of coefficients. **30:907**

tree seedlings

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**

tree vigor

Attack on black walnut trees by the ambrosia beetle *Xylosandrus germanus* (Coleoptera: Scolytidae). **30:864**

Techniques for distinguishing the sapwood-heartwood boundary in living loblolly pine (*Pinus taeda* L.). **30:756**

tree volumes

Testing volume equation accuracy with water displacement techniques. **30:41**

triphenyltetrazolium chloride (TTC)

The determination of percentages of living tissue in woody fine root samples using triphenyltetrazolium chloride. **30:965**

truckload weight scaling

A comparison of approaches for predicting multiple-product yields from weight-scaling data. **30:991**

Tsuga heterophylla

Young stand development in coastal western hemlock as influenced by three harvesting regimes. **30:117**

turgor pressure

Seasonal changes of tissue-water relations in shoots and root systems of Douglas-fir seedlings. **30:538**

Ulmus americana

Tree growth responses to flooding in a bottomland forest in northeastern Illinois. **30:499**

unbiased variance estimators

Estimation in multiphase designs for stratification. **30:484**

understory development

Development of the red maple understory in northeastern oak forests. **30:3**

uneven-aged forest

Exponential diameter distribution: interpretation of coefficients. **30:907**

Some mensurational formulas associated with balanced diameter distribution. **30:682**

univariate time-series forecasts
Econometric versus univariate and bivariate time-series forecasts: the case of softwood lumber imports. **30:194**
unthinned plantation plots
An analysis and models of basal area growth in 45-year-old unthinned and thinned slash pine plantation plots. **30:933**
unthinned slash pine plantations
The effect of planting density on dominant height in unthinned slash pine plantations. **30:1059**
urban forestry
Predicting scenic quality for urban forests using vegetation measurements. **30:71**
UV scanning
Techniques for distinguishing the sapwood-heartwood boundary in living loblolly pine (*Pinus taeda* L.). **30:756**
value prediction
Volume and value prediction for young-growth true fir trees. **30:871**
variance components
Nonlinear regressions and contour plots: techniques for selection and transfer of white ash provenances. **30:441**
variance estimates
Alternative estimators for point-Poisson sampling. **30:803**
variational solution method
A variational solution technique for determining optimal thinning and rotational schedules. **30:793**
vegetation/land cover mapping
Vegetation/land cover mapping of the Middle Fork of the Feather River watershed using Landsat digital data. **30:248**
vegetation measurement
Predicting scenic quality for urban forests using vegetation measurements. **30:71**
vegetative buds
Importance of genotype on the potential for *in vitro* adventitious bud production of *Picea abies*. **30:314**
vegetative inoculum
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on bare-root tree seedlings. **30:Monogr. 25**
visual impact
Measurement of scenic beauty: the Law of Comparative Judgment and Scenic Beauty Estimation procedures. **30:1084**
visual quality
Measurement of scenic beauty: the Law of Comparative Judgment and Scenic Beauty Estimation procedures. **30:1084**
visual quality prediction
Predicting scenic quality for urban forests using vegetation measurements. **30:71**
volume
Subsampling trees for biomass, volume, or mineral content. **30:673**
volume equation accuracy test
Testing volume equation accuracy with water displacement techniques. **30:41**
volume estimating
Alternative estimators for point-Poisson sampling. **30:803**
volume estimation
Compatible stem taper and volume ratio equations. **30:977**
volume predicting
A general taper functional form to predict bole volume for five mixed-conifer species in California. **30:166**
volume prediction
Volume and value prediction for young-growth true fir trees. **30:871**
volume ratio equation
Compatible stem taper and volume ratio equations. **30:977**
von Bertalanffy function
A model for basal area distribution in loblolly pine. **30:617**
walnut, black (*see* ***Juglans nigra***)
water displacement volume testing
Testing volume equation accuracy with water displacement techniques. **30:41**
water economy
Response of silver maple seedlings to an acute dose of root applied cadmium. **30:582**
water hickory (*see* ***Carya aquatica***)
water potential
Seasonal changes of tissue-water relations in shoots and root systems of Douglas-fir seedlings. **30:538**
water relations
Effects of cold soil on water relations and spring growth of Douglas-fir seedlings. **30:628**
water table level
Growth and physiology of loblolly pine roots under various water table level and phosphorus treatments. **30:705**
watershed
Forests, floods, and erosion: a watershed experiment in the southeastern Piedmont. **30:424**
watershed experiments paired
Describing and testing nonlinear treatment effects in paired watershed experiments. **30:305**
weather/beetle outbreak
Climate and the southern pine beetle in Atlantic Coastal and Piedmont regions. **30:143**
weed control
Evaluation of herbicides for use in transplanting *Leucaena leucocephala* and *Prosopis alba* on semi-arid lands without irrigation. **30:747**
Weibull distribution
Determining initial values for parameters of a Weibull model: a case study. **30:573**
A segmented distribution approach for modeling diameter frequency data. **30:129**
Weibull distribution parameters
A simple algorithm for moment-based recovery of Weibull distribution parameters. **30:329**
weight scaling
A comparison of approaches for predicting multiple-product yields from weight-scaling data. **30:991**
western spruce budworm (*see* ***Choristoneura occidentalis***)
white ash (*see* ***Fraxinus americana***)
white fir (*see* ***Abies concolor***)
white oak (*see* ***Quercus alba***)
white pine (*see* ***Pinus strobus***)
white-tailed deer (*see* ***Odocoileus virginianus***)
wildfire
A general procedure for sampling and analyzing wildland fire spread. **30:51**
wildland fire spread
A general procedure for sampling and analyzing wildland fire spread. **30:51**
wood carbohydrate
Nitrogen fixation associated with increased wood decay in Douglas-fir residue. **30:1038**
wood formation
The pinning method for marking xylem growth in hardwood species. **30:548**
wood procurement
Valuation of certain long-term timber cutting contracts. **30:774**
wood products

A comparison of approaches for predicting multiple-product yields from weight-scaling data. **30:991**

A market-share model to assess price competitiveness of softwood lumber exports to Caribbean markets. **30:928**

wood properties

The possibility of tree selection and breeding for genetic improvement of wood properties of *Gmelina arborea*. **30:275**

wood sugars

Nitrogen fixation associated with increased wood decay in Douglas-fir residue. **30:1038**

woody debris nutrient content

The effect of a prescribed burn in southwestern ponderosa pine on organic matter and nutrients in woody debris and forest floor. **30:183**

wound

The pinning method for marking xylem growth in hardwood species. **30:548**

xylem growth marking

The pinning method for marking xylem growth in hardwood species. **30:548**

xylem pressure potential

Effects of cold soil on water relations and spring growth of Douglas-fir seedlings. **30:628**

Xylosandrus germanus

Attack on black walnut trees by the ambrosia beetle *Xylosandrus germanus* (Coleoptera: Scolytidae). **30:864**

yield

Compatible cubic volume and basal area projection equations for thinned old-field loblolly pine plantations. **30:86**

yield predicting

A comparison of approaches for predicting multiple-product yields from weight-scaling data. **30:991**

A segmented distribution approach for modeling diameter frequency data. **30:129**

yield projection model

A simple algorithm for moment-based recovery of Weibull distribution parameters. **30:329**

young-growth fir trees

Volume and value prediction for young-growth true fir trees. **30:871**

young stand development

Young stand development in coastal western hemlock as influenced by three harvesting regimes. **30:117**

zinc

Response of silver maple seedlings to an acute dose of root applied cadmium. **30:582**

Zululand

The effect of planting density on dominant height in unthinned slash pine plantations. **30:1059**